VOLUME 54 • AUTHOR INDEX

Abbs I *see* Wahbi N *et al*
Addis B *see* Ibrahim AEK *et al*
Aksoy NH *see* Elpek GÖ *et al*
Alexander HD *see* Windrum P *et al*
Alhava EM *see* Ropponen KM *et al*
Ali Saeed M *see* El-Zimaity HMT *et al*
Al-Jubouri MA, Vardhan MS. A case of purple urine bag syndrome associated with *Providencia rettgeri: letter,* **412**
Al Mardini H *see* Zaitoun AM *et al*
Al-Nafussi A *see* Monaghan H *et al*
Ambler JE *et al.* Evaluation of CHROMagar candida for rapid identification and Etest for antifungal susceptibility testing in a district general hospital laboratory: *letter,* **158**
Amorim JB *see* Nogueira ML *et al*
Anandaram PS *see* Williams CP *et al*
Anderson JJ *see* Lodge AJ *et al*
Andrejevic S *see* Koracevic D *et al*
Andrews NJ *see* Maple PAC *et al*
André S *see* Pinto AE *et al*
Angus B *see* Bethune CA *et al*
see Lodge AJ *et al*
see Mathers ME *et al*
Aoyama K *see* Sadahira Y *et al*
Araki N *see* Kudawara I *et al*
Asano Y *see* Yoshikawa T *et al*
Atkins GJ *see* O'Connor DP *et al*
Au WY *see* Lam KY *et al*
Austen B *et al.* Fatal disseminated fusarium infection in acute lymphoblastic leukaemia in complete remission, **488**
Awad S *see* Zaitoun AM *et al*
Axon ATR *see* Shimoyama T *et al*

Baak JPA *see* Bol MGW *et al*
see van Grieken NCT *et al*
Baczako K *see* Schwerer MJ *et al*
Bae H-S *see* Yea SS *et al*
Baelde HJ *et al.* High quality RNA isolation from tumours with low cellularity and high extracellular matrix component for cDNA microarrays: application to chondrosarcoma, **778**
Baglin T. Thrombophilia testing: science or medicine?: *correspondence,* **254**
Baglin TP. Heparin induced thrombocytopenia thrombosis (HIT/T) syndrome: diagnosis and treatment: *leader,* **272**
Baildam AD *see* Coyne JD *et al*
Baillie R *et al.* Prognostic value of vascularity and vascular endothelial growth factor expression in non-small cell lung cancer, **116**
Bain B *see* Hasserjian RP *et al*
Bain BJ. Bone marrow aspiration: *leader,* **657**
Bone marrow trephine biopsy: *leader,* **737**
Baldwin LJ *see* Baxendine-Jones J *et al*
Balk AG *see* Twisk M *et al*
Ballesteros F *see* Reina J *et al*
Banerjee A *et al.* Wegener's granulomatosis presenting as acute suppurative interstitial nephritis, **787**
Baniel J *see* Livneh A *et al*
Barbas-Filho JV *et al.* Evidence of type II pneumocyte apoptosis in the pathogenesis of idiopathic pulmonary fibrosis (IFP)/usual interstitial pneumonia (UIP), **132**
Barnett D *see* Reilly JT and Barnett D
Barnett NE *see* Peach HG and Barnett NE
Barr L *see* Coyne JD *et al*
Barrett A *see* Freeman R *et al*
Barrett PD *see* Leech SN *et al*
Barshack I *et al.* Immunohistochemical analysis of candidate gene product expression in the duodenal epithelium of children with coeliac sprue, **684**
Bateman AC *see* Ibrahim AEK *et al*
Batstone PJ *see* Roberts C *et al*
Battyány I *see* Tornóczky T *et al*
Bauch B *see* Saksenberg V *et al*
Baugh R *see* Johnson CP *et al*
Baxendine-Jones J *et al.* Predominant fatty variant of myofibroblastoma of breast, **568**
Beck JR *see* Takemura Y and Beck JR
Becker M *see* Göhring U-J *et al*
Beckmann A *see* Buerger H *et al*
Beltrán M *see* Torres-Montaner A *et al*
Benbow EW *see* Charlton R *et al*
Bennett MW *et al.* Fas ligand upregulation is an early event in colonic carcinogenesis, **598**
Benson EM *see* Silvestrini RA and Benson EM
Berg JN *et al.* Evidence for loss of heterozygosity of 5q in sporadic haemangiomas: are somatic mutations involved in haemangioma formation?: *leader,* **249**
Berney DM, Dutt N. Clear cell carcinoma of the ovary arising in a mucinous cystadenoma: *letter,* **655**
Bersch A *see* Göhring U-J *et al*
Bethune CA *et al.* Treatment of EBV driven lymphoproliferation with erythrophagocytosis: 12 year follow up, **328**
Bird PS *see* Robertson KL *et al*
Blacklock CJ *et al.* Salicylic acid in the serum of subjects not taking aspirin. Comparison of salicylic acid concentrations in the serum of vegetarians, non-vegetarians, and patients taking low dose aspirin, **553**
Blanche S *see* Reijasse D *et al*
Blei F *see* Berg JN *et al*
Blessing K *see* Mooi WJ *et al*
Blinkhorn AS *see* Robertson KL *et al*
Bloemena E *see* van Grieken NCT *et al*
Bocca G *see* van der Meer W *et al*
Bodger K *et al.* Interleukin 10 in *Helicobacter pylori* associated gastritis: immunohistochemical localisation and in vitro effects on cytokine secretion, **285**
Bodger S *see* Helbert M *et al*
Boecker W *see* Buerger H *et al*
Bol MGW *et al.* Improved objectivity of grading of $T_{A,1}$ transitional cell carcinomas of the urinary bladder by quantitative nuclear and proliferation related features, **854**
Bonjardim CA *see* Nogueira ML *et al*
Book reviews Albores-Saveedra J, Henson DE, Klimstra DS. Tumors of the gallbladder, extrahepatic bile ducts and ampulla of Vater. Atlas of tumor pathology, **816**
B Frisch, R Bartl. Biopsy interpretation of bone and bone marrow: histology and immunohistology in paraffin and plastic, **160**
Baker AH, *editor.* Vascular disease: molecular biology and gene therapy protocols. Methods in molecular medicine, **415**
Brocheriou C, Baglin AC, Wassef M, *et al.* Stomatology-ENT, **256**
Child JA, Jack AS, Morgan GJ. The lymphoproliferative disorders, **80**
Frisch B, Bartl R. Biopsy interpretation of bone and bone marrow; histology and immunohistology in paraffin and plastic. Cytogenetics in collaboration with Rothman, R. 2nd ed, **575**
Gersen SL, Keagle MB, *editors.* The principles of clinical cytogenetics, **255**
Gray J, Desselberger U, *editors.* Rotaviruses, methods and protocols. Methods in molecular medicine, **256**
Greaves M. Cancer. The evolutionary legacy, **415**
Gutierrez Y. Diagnostic pathology of parasitic infections with clinical correlations, **159**
Kanel GC, Korula K. Liver biopsy evaluation; histologic diagnosis and clinical correlations, **80**
Löscher W, *editor.* Valproate. Milestones in drug therapy, **495**
Mason JK, Purdue BN, *editors.* The pathology of trauma, 3rd edition, **816**
McLendon RE, Bigner DD, Bigner SH, *et al.* Pathology of tumours of the central nervous system, **80**
PP Rosen. Breast pathology: diagnosis by needle, **415**
Rollins BJ, *editor.* Chemokines and cancer, **495**
Sciubba JJ. Fantasia JE, Kahn LB. Atlas of tumour pathology: tumours and cysts of the jaws, **816**
Scully RE. Histological typing of ovarian tumours, 2nd ed, **575**
Tomino Y. IgA nephropathy: from molecules to man, **255**
Wilkins B, Wright D. Illustrated pathology of the spleen, **255**
Borch E *see* Vainio K *et al*
Borges AM *see* Pai SA *et al*
Borgstein PJ *see* Torrenga H *et al*
Bos S *see* Bol MGW *et al*
Bosch FX *et al.* Papillomavirus research update: highlights of the Barcelona HPV 2000 international papillomavirus conference: *leader,* **163**
Boultwood J. Ataxia telangiectasia gene mutations in leukaemia and lymphoma: *leader,* **512**
Bourgain C *see* Dargent J-L *et al*
Bovée JVMG *see* Baelde HJ *et al*
Bowles L, Kopelman P. Leptin: of mice and men?: *leader,* **1**
Bown N *see* Wells AW *et al*
Bown N. Neuroblastoma tumour genetics: clinical and biological aspects: *review,* **897**
Brandt B *see* Buerger H *et al*
Breuer J *see* Wareham DW *et al*
Breuer J. Vaccination to prevent varicella and shingles: *leader,* **743**
Briley M *see* Ibrahim AEK *et al*
Bromelow K *see* Bodger K *et al*
Brousse N *see* Reijasse D *et al*
Brousset P *see* Caussinus E *et al*
see Gomez-Brouchet A *et al*
see Greenland C *et al*
Brugal G *see* Tucker JH *et al*

Bruneval P *et al*. Detection of fastidious bacteria in cardiac valves in cases of blood culture negative endocarditis, **238**
Bruu AL *see* Vainio K *et al*
Bryson C *see* McCluggage WG *et al*
Buerger H *et al*. Genetic characterisation of invasive breast cancer: a comparison of CGH and PCR based multiplex microsatellite analysis, **836**
Burattini O *see* Ierardi E *et al*
Burnett D *see* van Diest PJ *et al*
Burnett RA *see* Roberts F *et al*
Burns J *see* Johnson CP *et al*
Burton JL, Stephenson TJ. Are clinicians failing to supply adequate information when requesting a histopathological investigation?, **806**
Burton JL, Wells M. The Alder Hey affair: implications for pathology practice: *editorial*, **820**
Burton JL *et al*. Successful demand management in histopathology: a model using sputum cytology: *letter*, **896**
Busatto G *see* Rugge M *et al*
Busch C *see* Tucker JH *et al*
Byers RJ *see* Le Maitre CL *et al*

Calvert CH *see* McCluggage WG *et al*
Campbell F *see* Chaudhry IH and Campbell F
Campo B *see* Patriarca C *et al*
Canioni D *see* Reijasse D *et al*
Cant AJ *see* Gennery AR and Cant AJ
Capella C *see* La Rosa S *et al*
Capelozzi VL *see* Barbas-Filho JV *et al*
Carlile J *see* Baillie R *et al*
Carter N *see* Rutty GN *et al*
Carter R *see* Stewart CJR *et al*
Carvalho CRR *see* Barbas-Filho JV *et al*
Casalta J-P *see* Bruneval P *et al*
Castellsagué X *see* Bosch FX *et al*
Catherwood MA *see* Windrum P *et al*
Caussinus E *et al*. Simultaneous occurrence of Epstein-Barr virus associated Hodgkin's disease and HHV-8 related multicentric Castleman's disease: a fortuitous event?, **790**
Cavenagh J *see* Helbert M *et al*
Cavill I, Riis P. Scientific dishonesty: European reflections: *letter*, **573**
Chaggar R *see* Leonard N *et al*
Chan AYY *see* Chan LC *et al*
Chan DPC *see* Chan PKS *et al*
see Chan PKS *et al*
Chan GCF *see* Lam KY *et al*
Chan LC *et al*. Should we screen for globin gene mutations in blood samples with mean corpuscular volume (MCV) greater than 80 fL in areas with a high prevalence of thalassaemia?, **317**
Chan MYM *see* Chan PKS *et al*
Chan PKS *et al*. Association of human β-herpesviruses with the development of cervical cancer: bystanders or cofactors, **48**
Evaluation of extraction methods from paraffin wax embedded tissues for PCR amplification of human and viral DNA, **401**
Charlton FG *see* Mathers ME *et al*
Charlton R *et al*. When should a coroner's inquest be held? The Manchester guidelines for pathologists: *letter*, **495**
Chaudhry IH, Campbell F. An audit of pathology lymph node dissection techniques in pylorus preserving Kausch–Whipple pancreatoduodenectomy specimens, **758**
Chen X-Y *et al*. Comparison of precancerous conditions: atrophy and intestinal metaplasia in *Helicobacter pylori* gastritis among Chinese and Dutch patients, **367**
Cheng AF *see* Chan PKS *et al*
see Chan PKS *et al*
Chetty R *see* Govender D *et al*
Chetty R. Vasculitides associated with HIV infection: *leader*, **275**
Cheung JLK *see* Chan PKS *et al*
see Chan PKS *et al*
Chien PFW *see* Murdoch F *et al*
Child DF *see* Williams CP *et al*
Choucair J *see* Bruneval P *et al*
Chowers Y *see* Barshack I *et al*
Chui DHK *see* Chan LC *et al*
Chuman H *see* Naka T *et al*
Clark JC *see* Rutty GN *et al*
Clarke CL *see* Mote PA *et al*
Clarke SC *et al*. Introduction of an automated service for the laboratory confirmation of meningococcal disease in Scotland, **556**
Clarkson KS *et al*. The usefulness of tyrosinase in the immunohistochemical assessment of melanocytic lesions: a comparison of the novel T311 antibody (anti-tyrosinase) with S-100, HMB45, and A103 (anti-melan-A), **196**
Cleare A *see* Skowera A *et al*
Cleton-Jansen A-M *see* Baelde HJ *et al*
Coburn P *see* Mooi WJ *et al*
Coebergh JW *see* Langerak AW *et al*
Coggi G *see* Patriarca C *et al*
Coleman TJ *see* Zochowski WJ *et al*
Collett N *see* Douglas-Jones AG *et al*
Collins JK *see* Bennett MW *et al*
Colombo L *see* La Rosa S *et al*
Colombo P *see* Patriarca C *et al*
Comi A *see* Patriarca C *et al*
Constantinides C *see* Nakopoulou L *et al*
Cook DS. Dietary dangers: ingestion of a bread bag clip: *letter*, **79**
Cosic V *see* Koracevic D *et al*
Costa S *see* Zerbini M *et al*
Coyne JD *et al*. Mixed apocrine/endocrine ductal carcinoma in situ of the breast coexistent with lobular carcinoma in situ, **70**
Crabtree JE *see* Shimoyama T *et al*
Cricca M *see* Zerbini M *et al*
Crocker J *see* Ghosh M *et al*
see van Diest PJ *et al*
Cromie AJ *see* McCluggage WG *et al*
Cross SS. Immunohistochemical demonstration of oestrogen and progesterone receptors: *letter*, **78**
Observer accuracy in estimating proportions in images: implications for the semiquantitative assessment of staining reactions and a proposal for a new system, **385**
Crowe M *see* Wright RM *et al*
Cruickshank AM. CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *leader*, **827**

Dalgleish AG. Current problems in the development of specific immunotherapeutic approaches to cancer: *commentary*, **675**
Dallimore NS *see* Shannon J *et al*
Dalton RN *see* Wahbi N *et al*
Daniel L *et al*. Association of a renal papillary carcinoma with a low grade tumour of the collecting ducts, **637**
Dargent J-L *et al*. Cytokeratin expression by CD34 positive blasts in a case of refractory anaemia with excess of blasts in transformation (RAEB-t): *letter*, **735**
Dastugue N *see* Greenland C *et al*
Davaris P *see* Nakopoulou L *et al*
Davidovics S *see* Tornóczky T *et al*
Davidson BR *see* Okaro AC *et al*
Davies DR *see* Roberts ISD and Davies DR
Davies E *see* Skowera A *et al*
Davies GK *see* Williams CP *et al*
Davies MG *see* Williams CP *et al*
D'Cruz D *see* Helbert M *et al*
see Jury EC *et al*
Deacon AC, Elder GH. Front line tests for the investigation of suspected porphyria: *leader*, **500**
Deale A *see* Skowera A *et al*
De Bolla AR *see* Williams CP *et al*
de Bruin PC *see* Bol MGW *et al*
Deery AR *see* Okaro AC *et al*
de Goeij AFPM *see* Entius MM *et al*
de Keijzer MH *see* van der Meer W *et al*
Delisle MB *see* Gomez-Brouchet A *et al*
Delsol G *see* Caussinus E *et al*
see Greenland C *et al*
Demircan A *see* Elpek GÖ *et al*
Denley H *et al*. Preoperative assessment of prognostic factors in breast cancer: *leader*, **20**
Denney PA *see* Matthews TJ and Denney PA
Denton M *see* Wahbi N *et al*
Dertsiz L *see* Elpek GÖ *et al*
Dervan PA *see* Coyne JD *et al*
Desai V *see* McCluggage WG *et al*
de Sanjosé S *see* Bosch FX *et al*
de Serre N Patey-Manaud *see* Reijasse D *et al*
De Simone P *see* Zerbini M *et al*
de Waele M *see* Dargent J-L *et al*
Diamond AG *see* Berg JN *et al*
Dias AJ *see* Pereira MB *et al*
Dickey W *see* McMillan SA *et al*
Diggle MA *see* Clarke SC *et al*
Di Mario F *see* Rugge M *et al*
Dimopoulos C *see* Nakopoulou L *et al*
Dixon M *see* Haqqani MT *et al*
Dixon MF *see* Shimoyama T *et al*
Djordjevic V *see* Koracevic D *et al*
Dodd M *see* Wright RM *et al*
Douglas JP *see* McMillan SA *et al*
Douglas-Jones AG *see* Shannon J *et al*
Douglas-Jones AG *et al*. Comparison of core oestrogen receptor (ER) assay with excised tumour: intratumoral distribution of ER in breast carcinoma, **951**
Drabu YJ *see* Ambler JE *et al*
Drucker DB *see* Robertson KL *et al*
Duerden RM *see* Rutty GN *et al*
Dukers DF *see* Ten Berge RL *et al*
Dukers DF *et al*. Expression of killer cell inhibitory receptors is restricted to true NK cell lymphomas and a subset of intestinal enteropathy-type T cell lymphomas with a cytotoxic phenotype, **224**
Dunbar K *see* Wright RM *et al*
Duncombe A *see* Austen B *et al*

Dunne B *et al.* A pathological study of tumour regression in oesophageal adenocarcinoma treated with preoperative chemoradiotherapy, **841**
Dutt N *see* Berney DM and Dutt N

Edwards GFS *see* Clarke SC *et al*
Elborn JS *see* Wright RM *et al*
Elder GH *see* Deacon AC and Elder GH
Elek G *see* Gulyás M *et al*
Ellis IO *see* Denley H *et al*
Elpek GÖ *et al.* The prognostic relevance of angiogenesis and mast cells in squamous cell carcinoma of the oesophagus, **940**
Elston CW *see* Denley H *et al*
El-Zimaity HMT *et al.* Gastric intestinal metaplasia: subtypes and natural history, **679**
Emery VC. Investigation of CMV disease in immunocompromised patients: *leader*, **84**
Entius MM *et al.* Molecular genetic alterations in hamartomatous polyps and carcinomas of patients with Peutz-Jeghers syndrome, **126**
Enzan H *see* Nakayama H *et al*
Erdoğan A *see* Elpek GÖ *et al*
Eskelinen MJ *see* Ropponen KM *et al*
Evans AT *see* Murdoch F *et al*
Evans HM. What's wrong with "retained organs"? Some personal reflections in the afterglow of "Alder Hey", **824**
Evans M *see* Berg JN *et al*
Everett SM *see* Shimoyama T *et al*
Eyden BP *see* Hanson IM *et al*

Farinati F *see* Rugge M *et al*
Farrington K *see* Banerjee A *et al*
Fawcett A *see* Shousha S *et al*
Feeley KM, Wells M. Hormone replacement therapy and the endometrium: *leader*, **435**
Ferreira MA *see* Barbas-Filho JV *et al*
Ferreira PCP *see* Nogueira ML *et al*
Fickers M *see* Theunissen P *et al*
Field K *see* Wong RCW and Field K
Findlay G *see* Flanagan PG *et al*
Finn A *see* Lakshman R and Finn A
Flaig MJ *see* Dukers DF *et al*
Flanagan PG *et al.* Diagnosis of Gram negative, ventilator associated pneumonia by assaying endotoxin in bronchial lavage fluid, **107**
Francavilla A *see* Ierardi E *et al*
Francavilla R *see* Ierardi E *et al*
Franchi A *et al.* Downregulation of transforming growth factor β type II receptor in laryngeal carcinogenesis, **201**
Frazer I *see* Bosch FX *et al*
Freeman R *et al.* Identifying sputum specimens of high priority for examination by enhanced mycobacterial detection, identification, and susceptibility systems (EMDISS) to promote the rapid diagnosis of infectious pulmonary tuberculosis, **613**
Freemont AJ *see* Johnson JS and Freemont AJ
see Le Maitre CL *et al*
Freitas N *see* Nogueira ML *et al*
Frezza M *et al.* The histopathology of non-steroidal anti-inflammatory drug induced gastroduodenal damage: correlation with *Helicobacter pylori*, ulcers, and haemorrhagic events, **521**
Fukuda S *see* Shimoyama T *et al*
Fukui M *see* Naka T *et al*
Fulford LG *see* Selim A-GA *et al*
Fullarton G *see* Stewart CJR *et al*
Furlan D *see* La Rosa S *et al*
Furness P. *In reply: letter*, **414**
Furukawa T *see* Jass JR *et al*
Fuster-Diana E *see* Pérez-Vallés A *et al*

Gal R *see* Livneh A *et al*
Gallinella G *see* Zerbini M *et al*
Gallo O *see* Franchi A *et al*
Galloway A *see* Graham JC and Galloway A
Galloway M, Nadin L. Benchmarking and the laboratory: *leader*, **590**
García-García JA *see* Pérez-Vallés A *et al*
Gazzano G *see* Patriarca C *et al*
Gelen T *see* Elpek GÖ *et al*
Gennery AR, Cant AJ. Diagnosis of severe combined immunodeficiency: *leader*, **191**
Genta RM *see* Rugge M *et al*
Gentile A *see* Ierardi E *et al*
Georgieva J *et al.* Expression of cyclins and cyclin dependent kinases in human benign and malignant melanocytic lesions, **229**
Gertz MA *see* Lim JK *et al*
Ghosh M *et al.* Apoptosis in squamous cell carcinoma of the lung: correlation with survival and clinicopathological features, **111**
Giardiello FM *see* Entius MM *et al*
Gibbs AR, Thunnissen FBJM. Histological typing of lung and pleural tumours: third edition: *editorial*, **498**
Gibson IH *see* Blacklock CJ *et al*
Gilbert GL *see* Sintchenko V and Gilbert GL
Gill S *et al.* Expression of prolactin receptors in normal, benign, and malignant breast tissue: an immunohistological study, **956**
Goei R *see* Theunissen P *et al*
Goepel JR *see* Burton JL *et al*
Göhring U-J *et al.* $p21^{waf}$ correlates with DNA replication but not with prognosis in invasive breast cancer, **866**
Goldberg I *see* Barshack I *et al*
Goldhill DR *see* Wareham DW *et al*
Gomez-Brouchet A *et al.* Immunohistochemical assessment of human herpesvirus 8 infection in primary central nervous system large B cell lymphomas, **617**
Gompels MM *see* Bethune CA *et al*
Goodfield MJD *see* Thomson KF *et al*
Goodlad JR *see* Roberts C *et al*
Gorji N *see* Frezza M *et al*
Govender D *et al.* Mature renal teratoma and a synchronous malignant neuroepithelial tumour of the ipsilateral adrenal gland: *correspondence*, **253**
Graadt van Roggen JF *et al.* The histopathological differential diagnosis of gastrointestinal stromal tumours: *leader*, **96**
Graham DY *see* El-Zimaity HMT *et al*
see Rugge M *et al*
Graham JC, Galloway A. The laboratory diagnosis of urinary tract infection: *review*, **911**
Grant JJH *see* Mooi WJ *et al*
Gravenor I *see* Lilic D and Gravenor I
Green BN *see* Wiener K *et al*
Greene A, Heatley MK. The appropriateness of examining the entire cervix histologically in hysterectomy specimens from women with a previous history of cervical intraepithelial neoplasia or dyskaryosis, **155**
Greenland C *et al.* Anaplastic large cell lymphoma with the t(2;5)(p23;q35) NPM/ALK chromosomal translocation and duplication of the short arm of the non-translocated chromosome 2 involving the full length of the ALK gene, **152**
Gregg KL *see* Woodcock NP *et al*
Grehan D, McDermott M. Formalin or not formalin; that is the question: *letter*, **734**
Griffin M *see* Dunne B *et al*
Griffith CDM *see* Mathers ME *et al*
Group OBOTNRH *see* Thomas MJ *et al*
Guiver M *et al.* Rapid identification of candida species by TaqMan PCR, **362**
Gulyás M *et al.* Value of carcinoembryonic antigen (CEA) and cholesterol assays of ascitic fluid in cases of inconclusive cytology, **831**

Ha SY *see* Chan LC *et al*
Haddad E *see* Reijasse D *et al*
Haddadin WJ *et al.* A retroperitoneal bronchogenic cyst: a rare cause of a mass in the adrenal region, **801**
Hadley GP *see* Govender D *et al*
Hall AG *see* Lodge AJ *et al*
Hamilton PJ *see* Wells AW *et al*
Hamlet S *see* Robertson KL *et al*
Hanson IM *et al.* Evidence of nerve sheath differentiation and high grade morphology in sclerosing epithelioid fibrosarcoma, **721**
Haqqani MT *et al.* Acridine orange stain in the histological identification of *Helicobacter pylori*: *letter*, **734**
Hara A *et al.* Loss of DCC expression in astrocytomas: relation to p53 abnormalities, cell kinetics, and survival, **860**
Harris M *see* Hanson IM *et al*
Hasserjian RP *et al.* Acute erythremic myelosis (true erythroleukaemia): a variant of AML FAB-M6, **205**
Healy MT *see* Wareham DW *et al*
Heatley MK *see* Greene A and Heatley MK
Heatley MK. How many histological levels should be examined from tissue blocks originating in cone biopsy and large loop excision of the transformation zone specimens of cervix?, **650**
The prognosis in cervical epithelial changes of uncertain significance is similar to that of cervical intraepithelial neoplasia grade 1, **474**
Heatley MK, Russell P. Florid cystic endosalpingiosis of the uterus, **399**
Heatley RV *see* Bodger K *et al*
Heinonen S *see* Makkonen N *et al*
Helbert M *et al.* Optimising testing for phospholipid antibodies, **693**
Helisalmi S *see* Makkonen N *et al*
Hendrick A. Fatal legionella pneumonia after fludarabine treatment in chronic lymphocytic leukaemia: *letter*, **412**
Henry K *see* Hasserjian RP *et al*
Herbert A *see* Lanham S *et al*
Hilgers J *see* Ten Berge RL *et al*
Hiltunen M *see* Makkonen N *et al*
Hiroi M *see* Nakayama H *et al*
Hirvikoski P *see* Pirinen RT *et al*
Hjerpe A *see* Gulyás M *et al*
Hogendoorn PCW *see* Baelde HJ *et al*
see Nelissen RGHH and Hogendoorn PCW
see van Rijswijk CSP *et al*
see Graadt van Roggen JF *et al*
Hollmén S *see* Pirinen RT *et al*
Holmgren P *see* Jones AW and Holmgren P

Holzel H *see* van Diest PJ *et al*
see van Diest PJ *et al*
Horne CHW *see* Lodge AJ *et al*
Horowitz A *see* Barshack I *et al*
Houghton JB *see* Macheta M *et al*
Houlston RS *see* Stone JG *et al*
Houston A *see* Bennett MW *et al*
Howard J *see* Hasserjian RP *et al*
Howard S *see* Viagappan M and Howard S
Hows JM. Status of umbilical cord blood transplantation in the year 2001: *leader*, **428**
Hoyland JA *see* Le Maitre CL *et al*
Hudson PR *see* Williams CP *et al*
Huerre M *see* Reijasse D *et al*
Hughes DF *see* McMillan SA *et al*
Hughes R *see* Johnson J and Hughes R
Hunter JO *see* Roberts PJ *et al*
Husain A *see* Mooi WJ *et al*
Hutchins RR *see* Okaro AC *et al*

Ibrahim AEK *et al.* The role and histological classification of needle core biopsy in comparison with fine needle aspiration cytology in the preoperative assessment of impalpable breast lesions, **121**
Ierardi E *et al. Helicobacter heilmannii* gastritis: a histological and immunohistochemical trait, **774**
Ihira M *see* Yoshikawa T *et al*
Iijima T *see* Jass JR *et al*
Imrie CW *see* Stewart CJR *et al*
Ince PG. Random, chance, or hazard?: *correspondence*, **254**
Irving JAE *see* Thomas MJ *et al*
Ishiguro S *see* Kudawara I *et al*
Ishitsuka T *et al.* Microsatellite instability in inflamed and neoplastic epithelium in ulcerative colitis, **526**
Ismail SM *et al.* An unusually aggressive case of endometriosis showing p53 expression, **396**
Iwamoto Y *see* Naka T *et al*
Iwasaki T *see* Yoshikawa T *et al*
Iwasaki Y *see* Yamamoto T *et al*

Jackson GH *see* Wells AW *et al*
Jackson SK *see* Flanagan PG *et al*
Jäger D *et al.* Immune responses to tumour antigens: implications for antigen specific immunotherapy of cancer: *leader*, **669**
Jäger E *see* Jäger D *et al*
Jakobs BS *see* van der Meer W *et al*
Jáksó P *see* Tornóczky T *et al*
James J *see* Robertson KL *et al*
Jang WH *see* Yea SS *et al*
Jaramillo M *see* Loane J *et al*
Jasani B *see* Douglas-Jones AG *et al*
see Rhodes A and Jasani B
Jaspars LH *see* Dukers DF *et al*
Jass JR *et al.* Microsatellite unstable colorectal cancer: *letter*, **573**
Jindal RM *see* Haddadin WJ *et al*
Jochmans K *see* Dargent J-L *et al*
Johansson RT *see* Pirinen RT *et al*
see Pukkila MJ *et al*
John R *see* Williams CP *et al*
Johnson CP *et al.* Age related changes in the tunica media of the vertebral artery: implications for the assessment of vessels injured by trauma, **139**
Johnson J, Hughes R. Audit of colposcopy biopsy sectioning: *letter*, **735**
Johnson JS, Freemont AJ. A 10 year retrospective comparison of the diagnostic usefulness of synovial fluid and synovial biopsy examination, **605**
Johnson M *see* Jolles S *et al*
Johnson SJ, Wadehra V. The importance of intracytoplasmic DPAS positivity in fine needle aspirates of breast lesions, **146**
Johnston JF *see* Mote PA *et al*
Jolles S *et al.* Long term recovery of IgG and IgM production during HIV infection in a patient with common variable immunodeficiency (CVID), **713**
Jones AW, Holmgren P. Uncertainty in estimating blood ethanol concentrations by analysis of vitreous humour, **699**
Jones C *see* Leonard N *et al*
Jones CS *see* Maple PAC *et al*
Juhola MT *see* Pukkila MJ *et al*
Jury EC *et al.* Autoantibodies and overlap syndromes in autoimmune rheumatic disease: *leader*, **340**

Kairalla RA *see* Barbas-Filho JV *et al*
Kajtár GG *see* Tornóczky T *et al*
Kálmán E *see* Tornóczky T *et al*
Kaposi AD *see* Gulyás M *et al*
Kashiwagi H *see* Ishitsuka T *et al*
Kay EW *see* O'Connor DP *et al*
Keleş N *see* Elpek GÖ *et al*
Keller JJ *see* Entius MM *et al*
Kellokoski JK *see* Ropponen KM *et al*
Kelly A *see* Dunne B *et al*
Kelly CJ *see* Blacklock CJ *et al*
Kelly J *see* Bennett MW *et al*
Kennedy MM *see* Mooi WJ *et al*
Kerawala M *see* Ambler JE *et al*
Kerkhof E *see* Langerak AW *et al*
Kerr KM *see* Loane J *et al*
Kerr KM. Pulmonary preinvasive neoplasia: *leader*, **257**
Kessler CM *see* Mavromatis BH and Kessler CM
Kirkinen P *see* Makkonen N *et al*
Kisman O *see* Bol MGW *et al*
Kito H *see* Yoshikawa T *et al*
Kiyoku H *see* Nakayama H *et al*
Kluin PhM *see* Langerak AW *et al*
Knuth A *see* Jäger D *et al*
Ko KH *see* Lee SS *et al*
Kolar AJO *see* Leech SN *et al*
Konishi F *see* Ishitsuka T *et al*
see Jass JR *et al*
Kopelman P *see* Bowles L and Kopelman P
Kopolovic J *see* Barshack I *et al*
Koracevic D *et al.* Method for the measurement of antioxidant activity in human fluids, **356**
Koracevic G *see* Koracevic D *et al*
Kosma V-M *see* Pirinen RT *et al*
see Pukkila MJ *et al*
see Ropponen KM *et al*
Kraft K *see* Schwerer MJ *et al*
Krausz T *see* Tornóczky T *et al*
Kroon EG *see* Nogueira ML *et al*
Kroon HM *see* van Rijswijk CSP *et al*
Kudawara I *et al.* Malignant mesenchymoma of the lower leg, **877**
Kuipers EJ *see* Twisk M *et al*
see van Grieken NCT *et al*
Kumori K *see* Sadahira Y *et al*
Kumpulainen EJ *see* Pukkila MJ *et al*
Kurata T *see* Yoshikawa T *et al*
Kuroda N *see* Nakayama H *et al*
Kurosaka M *see* Yamamoto T *et al*
Kurtin PJ *see* Lim JK *et al*
Kusters JG *see* Twisk M *et al*
Kyle RA *see* Lim JK *et al*

Lacy MQ *see* Lim JK *et al*
Lakhani SR *see* Leonard N *et al*
Lakshman R, Finn A. Neutrophil disorders and their management: *leader*, **7**
Lam KM *see* Lee SS *et al*
Lam KSL *see* Lam KY *et al*
Lam KY, Lo CY. Adrenal lipomatous tumours: a 30 year clinico-pathological experience at a single institution, **707**
Lam KY *et al.* Primitive small round cell tumour of the adrenal gland presenting with fever of unknown origin and t(12;22)(q13;q12) cytogenetic finding, **966**
The clinicopathological features and importance of p53, Rb, and mdm2 expression in phaeochromocytomas and paragangliomas, **443**
Lamant L *see* Greenland C *et al*
Langerak AW *et al.* The role of molecular analysis of immunoglobulin and T cell receptor gene rearrangements in the diagnosis of lymphoproliferative disorders, **565**
Lanham S *et al.* HPV detection and measurement of HPV-16, telomerase, and survivin transcripts in colposcopy clinic patients, **304**
La Rosa S *et al.* Expression of acidic fibroblast growth factor (aFGF) and fibroblast growth factor receptor 4 (FGFR4) in breast fibroadenomas, **37**
Lau YL *see* Chan LC *et al*
Lawrence JR *see* Blacklock CJ *et al*
Lawton JWM *see* Lee SS *et al*
Lazaris ACh *see* Nakopoulou L *et al*
Leader M *see* O'Connor DP *et al*
Leborgne M *see* Reijasse D *et al*
Lechevallier E *see* Daniel L *et al*
Lee AHS *see* Denley H *et al*
Lee JA *see* Burton JL *et al*
Lee SS *et al.* α-1 Antitrypsin phenotypes by isoelectric focusing in a metropolitan southern Chinese population, **798**
Lee YJ *see* Yea SS *et al*
Leech SN *et al.* Merkel cell carcinoma can be distinguished from metastatic small cell carcinoma using antibodies to cytokeratin 20 and thyroid transcription factor 1, **727**
Le Maitre CL *et al.* Dual colour FISH in paraffin wax embedded bone trephines for identification of numerical and structural chromosomal abnormalities in acute myeloid leukaemia and myelodysplasia, **730**
Lennard AL *see* Thomas MJ *et al*
Leonard N *see* Leech SN *et al*
Leonard N *et al.* Loss of heterozygosity at cylindromatosis gene locus, CYLD, in sporadic skin adnexal tumours, **689**
Levi K *see* Guiver M *et al*
Li WWH *see* Chan PKS *et al*
Lieng JGSTA *see* van Rijswijk CSP *et al*

Lilic D, Gravenor I. Immunology of chronic mucocutaneous candidiasis: *editorial*, **81**
Lilic D, Sewell WAC. IgA deficiency: what we should—or should not—be doing: *editorial*, **337**
Lim JK *et al.* Pulmonary marginal zone lymphoma of MALT type as a cause of localised pulmonary amyloidosis, **642**
Lin CK *see* Lee SS *et al*
Lindeman J *see* van Grieken NCT *et al*
Liu Yin JA *see* Le Maitre CL *et al*
Livneh A *et al.* Light chain amyloidosis of the urinary bladder. A site restricted deposition of an externally produced immunoglobulin, **920**
Lo CY *see* Lam KY and Lo CY
see Lam KY *et al*
see Lam KY *et al*
Loane J *et al.* Eosinophilic angiocentric fibrosis and Wegener's granulomatosis: a case report and literature review, **640**
Lock RJ, Unsworth DJ. Antibodies to extractable nuclear antigens. Has technological drift affected clinical interpretation?: *leader*, **187**
Lodge AJ *et al.* Topoisomerase IIα and IIβ expression in childhood acute lymphoblastic leukaemia: relation to prognostic factors and clinical outcome, **31**
Loffeld RJLF *see* Twisk M *et al*
Low JL *see* Ibrahim AEK *et al*
Luk JM *see* Lam KY *et al*
Luqmani YA *see* Shousha S *et al*

Ma ESK *see* Lam KY *et al*
Ma SK *see* Chan LC *et al*
Mabruk MJEMF *see* O'Connor DP *et al*
McCall AE *see* Roberts F *et al*
MacCallum P *see* Helbert M *et al*
McCarthy H *see* Austen B *et al*
McCluggage WG *see* Venkatraman L *et al*
McCluggage WG. Clear cell carcinoma of the ovary arising in a mucinous cystadenoma: *letter*, **655**
Lymphoepithelioma-like carcinoma of the vagina, **964**
McCluggage WG *et al.* Clear cell adenocarcinoma of the colon arising in endometriosis: a rare variant of primary colonic adenocarcinoma: *letter*, **76**
Uterine endometrial stromal sarcoma with smooth muscle and glandular differentiation, **481**
McDermott M *see* Grehan D and McDermott M
McFarlane X *see* Wiener K *et al*
MacFie J *see* Woodcock NP *et al*
Macheta M *et al.* Prominent dyserythropoiesis in four cases of haemophagocytic lymphohistiocytosis, **961**
McIntosh GG *see* Lodge AJ *et al*
McKane W *see* Banerjee A *et al*
McManus DT *see* Windrum P *et al*
McMillan SA *et al.* Transthyretin values correlate with mucosal recovery in patients with coeliac disease taking a gluten free diet, **783**
McNulty CAM *see* Warburton-Timms VJ and McNulty CAM
Magee J *see* Freeman R *et al*
Maier H *see* Schwerer MJ *et al*
Mainardi J-L *see* Bruneval P *et al*
Makadisi S *see* Zaitoun AM *et al*
Makkonen N *et al.* Apolipoprotein E alleles in women with pre-eclampsia, **652**
Malcolm EA *see* Blacklock CJ *et al*
Manabe T *see* Sadahira Y *et al*
Mannermaa A *see* Makkonen N *et al*
Manninen T *see* Mote PA *et al*
Mano M *see* Kudawara I *et al*
Maple PAC *et al.* Time resolved fluorometric immunoassay, using europium labelled antihuman IgG, for the detection of human tetanus antitoxin in serum, **812**
Marangi S *see* Ierardi E *et al*
Marchuk DA *see* Berg JN *et al*
Mari M *see* Reina J *et al*
Markey GM *see* Windrum P *et al*
Martin BM *see* Livneh A *et al*
Martorell-Cebollada M *see* Pérez-Vallés A *et al*
Marx W *see* Bol MGW *et al*
Masuda K *see* Watanabe T *et al*
Mathers ME *see* Pai SA *et al*
Mathers ME *et al.* The use of a standard proforma in breast cancer reporting, **809**
Matthews TJ, Denney PA. Digital imaging of surgical specimens using a wet scanning technique, **326**
Mavromatis BH, Kessler CM. D-Dimer testing: the role of the clinical laboratory in the diagnosis of pulmonary embolism: *leader*, **664**
Maxwell P *see* Venkatraman L *et al*
Meggetto F *see* Caussinus E *et al*
Méhes G *see* Tornóczky T *et al*
Meijer CJLM *see* Ten Berge RL *et al*
see Ten Berge RL *et al*
see Dukers DF *et al*
Meijer GA *see* van Grieken NCT *et al*
Meijer JWR *see* Ten Berge RL *et al*
Meijer S *see* Torrenga H *et al*
Melato M *see* Frezza M *et al*
Meuwissen SGM *see* van Grieken NCT *et al*
Middleton SJ *see* Roberts PJ *et al*
Mikami T *see* Hara A *et al*
Mikami Y *see* Sadahira Y *et al*
Miller R *see* Roberts PJ *et al*
Mills PR *see* Stewart CJR *et al*
Minami R *see* Yamamoto T *et al*
Misbah SA *see* Thomson KF *et al*
Mitchell CJ *see* Woodcock NP *et al*
Miyaki M *see* Jass JR *et al*
Miyazaki E *see* Nakayama H *et al*
Moayyedi P *see* Haqqani MT *et al*
Modi N, Wilcox MH. Evidence for antibiotic induced *Clostridium perfringens* diarrhoea: *leader*, **748**
Mohiaddin RH *see* Selim A-GA *et al*
Moisio KI *see* Ropponen KM *et al*
Molyneux AJ *see* Clarkson KS *et al*
Monaghan H *et al.* Giant cell tumour of tendon sheath (localised nodular tenosynovitis): clinicopathological features of 71 cases, **404**
Monno RA *see* Ierardi E *et al*
Mooi WJ *et al.* Small cell melanoma: *letter*, **655**
Moore JE *see* Wright RM *et al*
Moreno V *see* Bosch FX *et al*
Morgan DR *see* Woodcock NP *et al*
Morgan JM *see* Douglas-Jones AG *et al*
Morgan K *see* Roberts PJ *et al*
Morris A *see* Ghosh M *et al*
Morris TCM *see* Windrum P *et al*
Morrow WJW *see* Jury EC *et al*
Mote PA *et al.* Detection of progesterone receptor forms A and B by immunohistochemical analysis, **624**
Mudhar HS *et al.* Electron microscopy of myocardial tissue. A nine year review, **321**
Mulder AH *see* Langerak AW *et al*
Mulligan E *see* Dunne B *et al*
Munar M *see* Reina J *et al*
Muñoz N *see* Bosch FX *et al*
Murdoch F *et al.* Primary peripheral T cell lymphoma of the endometrium, **74**
Murphy A *see* Thomson KF *et al*
Murphy GM *see* O'Connor DP *et al*
Murphy MJ *see* Paterson JR and Murphy MJ
Murphy PG *see* Wright RM *et al*
Murray WR *see* Stewart CJR *et al*
Musiani M *see* Zerbini M *et al*

Nadin L *see* Galloway M and Nadin L
Nagai H *see* Jass JR *et al*
Naka T *et al.* Immunohistochemical analysis of E-cadherin, α-catenin, β-catenin, γ-catenin, and neural cell adhesion molecule (NCAM) in chordoma, **945**
Nakanishi H *see* Kudawara I *et al*
Nakayama H *et al.* CD34 positive stromal cells in gastric adenocarcinomas, **846**
Nakopoulou L *et al.* Predictive value of topoisomerase IIα immunostaining in urothelial bladder carcinoma, **309**
Namba M *see* Baelde HJ *et al*
Naruse K *see* Nakayama H *et al*
Nelissen RGHH, Hogendoorn PCW. Retain or sacrifice the posterior cruciate ligament in total knee arthroplasty? A histopathological study of the cruciate ligament in osteoarthritic and rheumatoid disease, **381**
Neuhaus W *see* Göhring U-J *et al*
Nikitopoulou A *see* Leonard N *et al*
Nóbrega S *see* Pinto AE *et al*
Nogueira ML *et al.* Detection of herpesvirus DNA by the polymerase chain reaction (PCR) in vitreous samples from patients with necrotising retinitis, **103**
Nogueira-Vázquez E *see* Pérez-Vallés A *et al*
Nteene LM *see* Govender D *et al*

O'Connell J *see* Bennett MW *et al*
O'Connor DP *et al.* p53 codon 72 polymorphism and human papillomavirus associated skin cancer, **539**
Oda Y *see* Naka T *et al*
see Watanabe T *et al*
O'Donnell M *see* Pai SA *et al*
O'Donohue J *see* Stewart CJR *et al*
Offerhaus GJA *see* Entius MM *et al*
see van Grieken NCT *et al*
Okaro AC *et al.* The expression of antiapoptotic proteins Bcl-2, Bcl-X_L, and Mcl-1 in benign, dysplastic, and malignant biliary epithelium, **927**
Okayasu I *see* Hara A *et al*
Oliva H *see* Torres-Montaner A *et al*
Oppenheim BA *see* Guiver M *et al*
Oréfice F *see* Nogueira ML *et al*
O'Sullivan GC *see* Bennett MW *et al*

Otsuki T *see* Sadahira Y *et al*
Oudejans JJ *see* Ten Berge RL *et al*
see Ten Berge RL *et al*
Owen RJ *see* Peters TM *et al*

Page M *see* Silcocks P and Page M
Pai SA *et al*. Rhabdoid phenotype in cutaneous squamous carcinoma: an earlier report!: *letter*, **656**
Paik K-H *see* Yea SS *et al*
Pajor L *see* Tornóczky T *et al*
Palmer MF *see* Zochowski WJ *et al*
Paraf F *see* Bruneval P *et al*
Parsons MA, Start RD. Necropsy techniques in ophthalmic pathology: *leader*, **417**
Paterson JR *see* Blacklock CJ *et al*
Paterson JR, Murphy MJ. Bones, groans, moans . . . and salivary stones?: *letter*, **412**
Patriarca C *et al*. Macrocryosectioning of the prostate: a simple technique, **236**
Peach HG, Barnett NE. *Helicobacter pylori* infection and fasting plasma glucose concentration, **466**
Peacock S *see* Wright RM *et al*
Peakman M *see* Skowera A *et al*
Pearson JM *see* Hanson IM *et al*
Pellissier JF *see* Daniel L *et al*
Pendleton N *see* Baillie R *et al*
Pereira MB *et al*. Immunohistochemical study of the expression of MUC5AC and MUC6 in breast carcinomas and adjacent breast tissues, **210**
Pereira T *see* Pinto AE *et al*
Pérez-Vallés A *et al*. The usefulness of antibodies to the BRCA1 protein in detecting the mutated BRCA1 gene. An immunohistochemical study, **476**
Peston D *see* Gill S *et al*
Peters TM *et al*. Genetic diversity in the *Helicobacter pylori* cag pathogenicity island and effect on expression of anti-CagA serum antibody in UK patients with dyspepsia, **219**
Pfister H *see* Bosch FX *et al*
Pinder SE *see* Denley H *et al*
Pinto AE *et al*. Prognostic comparative study of S-phase fraction and Ki-67 index in breast carcinoma, **543**
Pirinen RT *see* Pukkila MJ *et al*
see Ropponen KM *et al*
Pirinen RT *et al*. Reduced expression of α-catenin, β-catenin, and γ-catenin is associated with high cell proliferative activity and poor differentiation in non-small cell lung cancer, **391**
Pollice L *see* Ierardi E *et al*
Poort-Keesom RJJ *see* Ten Berge RL *et al*
Porteous ME *see* Berg JN *et al*
Pras M *see* Livneh A *et al*
Proctor SJ *see* Thomas MJ *et al*
Puig-Tintore LM *see* Bosch FX *et al*
Pukkila MJ *et al*. Nuclear β catenin expression is related to unfavourable outcome in oropharyngeal and hypopharyngeal squamous cell carcinoma, **42**

Rahusen FD *see* Torrenga H *et al*
Ramchatesingh J *see* El-Zimaity HMT *et al*
Rampling D *see* Sheriffs IN *et al*
Raoult D *see* Bruneval P *et al*
Record CO *see* Zaitoun AM and Record CO
see Zaitoun AM *et al*
Redmond AOB *see* Wright RM *et al*
Reid JA *see* Clarke SC *et al*
Reid MM *see* Lodge AJ *et al*
see Wells AW *et al*
Reid R *see* Haddadin WJ *et al*
Reijasse D *et al*. Cytotoxic T cells in AIDS colonic cryptosporidiosis, **298**
Reilly JT, Barnett D. UK NEQAS for leucocyte immunophenotyping: the first 10 years: *leader*, **508**
Reina J *et al*. Evaluation of different continuous cell lines in the isolation of mumps virus by the shell vial method from clinical samples, **924**
Reis CA *see* Pereira MB *et al*
Renauld J-C. New insights into the role of cytokines in asthma: *leader*, **577**
Rep S *see* Bol MGW *et al*
Reynolds JV *see* Dunne B *et al*
Reynolds TM *see* Sebire NJ and Reynolds TM
Reznik S *see* Saksenberg V *et al*
Rhodes A, Jasani B. Immunohistochemical demonstration of oestrogen and progesterone receptors: *letter*, **78**
Riis P *see* Cavill I and Riis P
Riis P. Scientific dishonesty: European reflections: *leader*, **4**
Riley GP *see* Roberts PJ *et al*
Roberts C *et al*. Lymphadenopathy and lymph node infarction as a result of gold injections, **562**
Roberts F *et al*. Malignant mesothelioma: a comparison of biopsy and postmortem material by light microscopy and immunohistochemistry, **766**
Roberts ISD *see* Charlton R *et al*
Roberts ISD, Davies DR. Handling of renal biopsies: different approaches reflect a lack of evidence for what constitutes "best practice": *letter*, **413**
Roberts PJ *et al*. The physiological expression of inducible nitric oxide synthase (iNOS) in the human colon, **293**
Robertson D *see* Stone JG *et al*
Robertson J *see* Woodcock NP *et al*
Robertson KL *et al*. A microbiological study of Papillon-Lefèvre syndrome in two patients, **371**
Rohan T *see* Bosch FX *et al*
Romero de La Osa A *see* Torres-Montaner A *et al*
Ropponen KM *et al*. Expression of transcription factor AP-2 in colorectal adenomas and adenocarcinomas; comparison of immunohistochemistry and in situ hybridisation, **533**
Royle GT *see* Ibrahim AEK *et al*
Rubin C *see* Ibrahim AEK *et al*
Rubio CA. Serrated neoplasia of the stomach: a new entity, **849**
Rugge M *et al*. The phenotype of gastric mucosa coexisting with Barrett's oesophagus, **456**
Russell P *see* Heatley MK and Russell P
Russo V *see* Rugge M *et al*
Rutty GN *et al*. Are coroners' necropsies necessary? A prospective study examining whether a "view and grant" system of death certification could be introduced into England and Wales, **279**

Sadahira Y *et al*. Post-transplant malignant lymphoma with monoclonal immunoglobulin gene rearrangement and polyclonal Epstein-Barr virus episomes, **887**
Saegusa M *see* Hara A *et al*
Sailer A *see* Schwerer MJ *et al*
Saito Y *see* Yoshikawa T *et al*
Saksenberg V *et al*. Massive acute thymic haemorrhage and cerebral haemorrhage in an intrauterine fetal death, **796**
Salter DM *see* Monaghan H *et al*
Sander CA *see* Dukers DF *et al*
Sanders DSA *see* Mooi WJ *et al*
Santini D *see* Zerbini M *et al*
Santucci M *see* Franchi A *et al*
Sardi I *see* Franchi A *et al*
Saverymuttu S *see* Peters TM *et al*
Schadendorf D *see* Georgieva J *et al*
Scherchen F *see* Bruneval P *et al*
Schöndorf T *see* Göhring U-J *et al*
Schmidt H *see* Buerger H *et al*
Schmitt FC *see* Pereira MB *et al*
Schneider A *see* Bosch FX *et al*
Schor AM *see* Baillie R *et al*
Schots R *see* Dargent J-L *et al*
Schuuring E *see* Langerak AW *et al*
Schuurmans Steckhoven JH *see* van der Meer W *et al*
Schwerer MJ *et al*. Patterns of $p21^{waf1/cip1}$ expression in non-papillomatous nasal mucosa, endophytic sinonasal papillomas, and associated carcinomas, **871**
Scott DJ *see* Mathers ME *et al*
Sebire NJ, Reynolds TM. Down's syndrome screening: a controversial test, with more controversy to come!: *letter*, **573**
Selim A-GA *et al*. Active aortitis in relapsing polychondritis, **890**
Sessa F *see* La Rosa S *et al*
Sesso A *see* Barbas-Filho JV *et al*
Sewell WAC *see* Lilic D and Sewell WAC
Shanahan F *see* Bennett MW *et al*
Shannon J *et al*. Conversion to core biopsy in preoperative diagnosis of breast lesions: is it justified by results?, **762**
Shaw A *see* Wright RM *et al*
Shaw RW *see* Ismail SM *et al*
Shek TWH *see* Lam KY *et al*
Sheppard MN *see* Selim A-GA *et al*
Sheriffs IN *et al*. Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **517**
Shi Y *see* Chen X-Y *et al*
Shimoyama T *et al*. Influence of smoking and alcohol on gastric chemokine mRNA expression in patients with *Helicobacter pylori* infection, **332**
Shinohara N *see* Naka T *et al*
Shirley J, Wing S. Workload, organisation, and cost of haematology laboratory out of hours services, **647**
Shitoh K *see* Jass JR *et al*
Shousha S *see* Gill S *et al*
Shousha S *et al*. Multifocal squamous cell carcinoma of the oesophagus following radiotherapy for bilateral breast carcinoma, **718**
Shrimankar J *see* Mathers ME *et al*
Shtrasburg S *see* Livneh A *et al*
Silcocks P, Page M. What constitutes a histological confirmation of cancer? A survey of terminology interpretation in two English regions, **246**
Silvestrini RA, Benson EM. Whither smooth muscle antibodies in the third millennium?, **677**
Sinclair SA *see* Leech SN *et al*
Sinha P *see* Georgieva J *et al*
Sintchenko V, Gilbert GL. Evidence based diagnostic microbiology: has its time come?, **441**

Siqueira RC *see* Nogueira ML *et al*
Skowera A *et al*. High prevalence of serum markers of coeliac disease in patients with chronic fatigue syndrome: *letter*, **335**
Slater E *see* Peters TM *et al*
Slawik S *see* Hanson IM *et al*
Smeitink JAM *see* van der Meer W *et al*
Smith A *see* Austen B *et al*
Smith PG *see* Bosch FX *et al*
Smith VV *see* Sheriffs IN *et al*
Snijdewint FGM *see* Ten Berge RL *et al*
Soares J *see* Pinto AE *et al*
Sohail M *see* Tornóczky T *et al*
Soman CS *see* Pai SA *et al*
Spatz A *see* Tucker JH *et al*
Spickett GP *see* Bethune CA *et al*
Start RD *see* Parsons MA and Start RD
Stephenson TJ *see* Burton JL and Stephenson TJ
Steward M *see* Lodge AJ *et al*
Stewart CJR *et al*. Brush cytology in the assessment of pancreatico–biliary strictures: a review of 406 cases, **449**
Stone JG *et al*. Immunohistochemistry for MSH2 and MHL1: a method for identifying mismatch repair deficient colorectal cancer, **484**
Stravodimos C *see* Nakopoulou L *et al*
Sturdgess IC *see* Clarkson KS *et al*
Suga S *see* Yoshikawa T *et al*
Suvarna SK *see* Mudhar HS *et al*
Suzuki K *see* Yoshikawa T *et al*
Swaminathan R *see* Wahbi N *et al*
Szollár LG *see* Gulyás M *et al*

Takahashi M *see* Leonard N *et al*
Takemura Y, Beck JR. Laboratory testing under managed care dominance in the USA: *leader*, **89**
Tamiya S *see* Watanabe T *et al*
Tanaka T *see* Yoshikawa T *et al*
Taylor C *see* Bethune CA *et al*
Taylor PR *see* Wells AW *et al*
Taylor PRA *see* Thomas MJ *et al*
Teare EL *see* Peters TM *et al*
Ten Berge RL *et al*. Anaplastic large cell lymphoma: what's in a name?: *letter*, **494**
MUC1 (EMA) is preferentially expressed in ALK positive anaplastic large cell lymphoma, in the normally glycosylated or only partly hypoglycosylated form, **933**
Ten Kate FJW *see* Chen X-Y *et al*
Theaker JM *see* Baxendine-Jones J *et al*
see Ibrahim AEK *et al*
Theodorou N *see* Shousha S *et al*
Theunissen P *et al*. Primary large cell neuroendocrine carcinoma of the presacral region, **880**
Thiru S *see* Banerjee A *et al*
Thisanagayam U *see* Berg JN *et al*
Thom L *see* Clarke SC *et al*
Thomas JM *see* Helbert M *et al*
Thomas MJ *et al*. Validation of the Hasford score in a demographic study in chronic granulocytic leukaemia, **491**
Thomson KF *et al*. Is it useful to test for antibodies to extractable nuclear antigens in the presence of a negative antinuclear antibody on Hep-2 cells?: *letter*, **413**
Thunnissen FBJM *see* Gibbs AR and Thunnissen FBJM
Tibiletti MG *see* La Rosa S *et al*
Tidbury P *see* Ibrahim AEK *et al*
To K-F *see* Chan PKS *et al*
Toi M *see* Nakayama H *et al*
Toner PG *see* McCluggage WG *et al*
Tornóczky T *et al*. Solid and papillary epithelial neoplasm arising in heterotopic pancreatic tissue of the mesocolon, **241**
Torrenga H *et al*. Sentinel node investigation in breast cancer: detailed analysis of the yield from step sectioning and immunohistochemistry, **550**
Torres-Montaner A *et al*. Sarcoma of the thyroid region mimicking Riedel's thyroiditis, **570**
Touriol C *see* Greenland C *et al*
Traub AI *see* McCluggage WG *et al*
Tsukamoto T *see* Jass JR *et al*
Tsuneyoshi M *see* Naka T *et al*
see Watanabe T *et al*
Tucker JH *et al*. An experimental inter-expert telepathology network using static imaging, **752**
Tuohimaa P *see* Mote PA *et al*
Turner C *see* Wahbi N *et al*
Twisk M *et al*. Colonisation density and topographic localisation of *Helicobacter pylori* do not depend on the cagA status, **771**
Tyrer M *see* Jolles S *et al*
Tytgat GNJ *see* Chen X-Y *et al*

Ukabam S *see* Zaitoun AM *et al*
Unsworth DJ *see* Lock RJ and Unsworth DJ

Vainio K *et al*. No sequence variation in part of the hexon and the fibre genes of adenovirus 8 isolated from patients with conjunctivitis or epidemic keratoconjunctivitis (EKC) in Norway during 1989 to 1996, **558**
Valtonen HJ *see* Pukkila MJ *et al*
van Beerendonk H *see* Baelde HJ *et al*
Vandeginste S *see* Ismail SM *et al*
van der Hulst RWM *see* Chen X-Y *et al*
van der Meer W *et al*. Peripheral blood lymphocyte appearance in a case of I cell disease, **724**
van Diest PJ *see* Torrenga H *et al*
van Diest PJ *et al*. Impactitis: new cures for an old disease: *editorial*, **817**
The *Journal of Clinical Pathology* online (http://www.jclinpath.com): free for the developing countries: *editorial*, **497**
van Dongen JJM *see* Langerak AW *et al*
Vanezis P. Interpreting bruises at necropsy: *leader*, **348**
van Grieken NCT *et al*. Rapid quantitative assessment of gastric corpus atrophy in tissue sections, **63**
van Krieken JHJM *see* Langerak AW *et al*
van Rees BP *see* Entius MM *et al*
van Rijswijk CSP *et al*. Retroperitoneal extraskeletal osteosarcoma: *letter*, **77**
van Velthuysen MLF *see* Graadt van Roggen JF *et al*
van Velthuysen M-LF *see* Entius MM *et al*
Vardhan MS *see* Al-Jubouri MA and Vardhan MS
Varea R *see* Peters TM *et al*
Venkatraman L *et al*. Thyroglobulin immunoreactivity in lymph node histiocytes: a potential diagnostic pitfall, **314**
Venturoli S *see* Zerbini M *et al*
Vermeer MH *see* Dukers DF *et al*
Viagappan M, Howard S. The use of the Reflection computer program for facilitating report formulation in the medical microbiology laboratory: *letter*, **159**
Virtaniemi JA *see* Pukkila MJ *et al*
Vital A *see* Gomez-Brouchet A *et al*
Vonderhaar BK *see* Gill S *et al*
von Mensdorff-Pouilly S *see* Ten Berge RL *et al*
Vos W *see* Dukers DF *et al*
Vrints LWMA *see* Langerak AW *et al*

Wadehra V *see* Johnson SJ and Wadehra V
Waghorn DJ. Overwhelming infection in asplenic patients: current best practice preventive measures are not being followed, **214**
Wagner BE *see* Mudhar HS *et al*
Wahbi N *et al*. Dimethylarginines in chronic renal failure, **470**
Walter JW *see* Berg JN *et al*
Waner M *see* Berg JN *et al*
Warburton-Timms VJ, McNulty CAM. Role of screening agar plates for in vitro susceptibility testing of *Helicobacter pylori* in a routine laboratory setting, **408**
Wareham DW *et al*. Pneumonitis in an elderly Bangladeshi man: *letter*, **494**
Wat NMS *see* Lam KY *et al*
Watanabe T *et al*. Malignant peripheral nerve sheath tumour arising within neurofibroma. An immunohistochemical analysis in the comparison between benign and malignant components, **631**
Watt P *see* Lanham S *et al*
Waye JS *see* Chan LC *et al*
Webb K *see* Wright RM *et al*
Webster D *see* Jolles S *et al*
Weightman NC. False penicillin resistance in *Neisseria meningitidis* following direct susceptibility tests from blood cultures, **893**
Weiss B *see* Barshack I *et al*
Weiss MM *see* van Grieken NCT *et al*
Wells AW *et al*. Erythroleukaemia in the north of England: a population based study, **608**
Wells C *see* Tucker JH *et al*
Wells M *see* Burton JL and Wells M
see Feeley KM and Wells M
Wessely S *see* Skowera A *et al*
Westerman AM *see* Entius MM *et al*
Wiener K *et al*. Increasing recognition of haemoglobin Le Lamentin: *letter*, **970**
Wilcox MH *see* Modi N and Wilcox MH
Wiles D *see* Blacklock CJ *et al*
Wilkins B *see* Austen B *et al*
Will AM *see* Macheta M *et al*
Willemze R *see* Ten Berge RI. *et al*
see Dukers DF *et al*
Williams CP *et al*. Why oral calcium supplements may reduce renal stone disease: report of a clinical pilot study, **54**
Williamson A *see* van Diest PJ *et al*
Wilson CA *see* Johnson CP *et al*
Wilson JHP *see* Entius MM *et al*
Windrum P *et al*. Mantle cell lymphoma presenting as a breast mass, **883**
Wing S *see* Shirley J and Wing S
Wolvers-Tettero ILM *see* Langerak AW *et al*

Wong RCW, Field K. MPO-ANCA may produce a combination of P-ANCA and atypical cytoplasmic ANCA indirect immunofluorescent patterns on certain ethanol fixed neutrophil substrates: *letter*, **335**
Wood A *see* Hasserjian RP *et al*
Woodcock NP *et al*. Bacterial translocation and immunohistochemical measurement of gut immune function, **619**
Woodside JV *see* Young IS and Woodside JV
Wright RM *et al*. Improved cultural detection of *Burkholderia cepacia* from sputum in patients with cystic fibrosis, **803**
Wyatt JI *see* Bodger K *et al*
Wynn RF *see* Macheta M *et al*

Xiao S-D *see* Chen X-Y *et al*

Yamamoto T *et al*. Angiosarcoma arising from skeletal haemangiomatosis in an atomic bomb survivor, **716**
Yaneza A *see* Ambler JE *et al*
Yang Y-I *see* Yea SS *et al*
Yea SS *et al*. Association between TNF-*α* promoter polymorphism and *Helicobacter pylori* cagA subtype infection, **703**
Yoshikawa T *et al*. Fatal acute myocarditis in an infant with human herpesvirus 6 infection, **792**
Young HA *see* Loane J *et al*
Young IS. Measurement of total antioxidant capacity: *editorial*, **339**
Young IS, Woodside JV. Antioxidants in health and disease: *leader*, **176**
Yu MY *see* Chan PKS *et al*

Zaitoun AM, Record CO. Application of quantitative techniques for the assessment of gastric atrophy: *editorial*, **161**
Zaitoun AM *et al*. Quantitative assessment of fibrosis and steatosis in liver biopsies from patients with chronic hepatitis C, **461**
Zänker KS *see* Buerger H *et al*
Zattara-Cannoni H *see* Daniel L *et al*
Zerbini M *et al*. Distribution and viral load of type specific HPVs in different cervical lesions as detected by PCR-ELISA, **377**
Zervas A *see* Nakopoulou L *et al*
Zochowski WJ *et al*. An evaluation of three commercial kits for use as screening methods for the detection of leptospiral antibodies in the UK, **25**
zur Hausen H *see* Bosch FX *et al*

VOLUME 54 • SUBJECT INDEX

α-1 antitrypsin α-1 Antitrypsin phenotypes by isoelectric focusing in a metropolitan southern Chinese population, **798**

17q gain in neuroblastoma, Neuroblastoma tumour genetics: clinical and biological aspects: *review*, **897**

A103 (anti melan-A), The usefulness of tyrosinase in the immunohistochemical assessment of melanocytic lesions: a comparison of the novel T311 antibody (anti-tyrosinase) with S-100, HMB45, and A103 (anti-melan-A), **196**

aciclovir, Pneumonitis in an elderly Bangladeshi man: *letter*, **494**

acidic fibroblast growth factor, Expression of acidic fibroblast growth factor (aFGF) and fibroblast growth factor receptor 4 (FGFR4) in breast fibroadenomas, **37**

acquired immunodeficiency syndrome, Cytotoxic T cells in AIDS colonic cryptosporidiosis, **298**

acridine orange, Acridine orange stain in the histological identification of *Helicobacter pylori*: *letter*, **734**

acute leukaemia, Acute erythremic myelosis (true erythroleukaemia): a variant of AML FAB-M6, **205**

acute myeloid leukaemia, Dual colour FISH in paraffin wax embedded bone trephines for identification of numerical and structural chromosomal abnormalities in acute myeloid leukaemia and myelodysplasia, **730**

Erythroleukaemia in the north of England: a population based study, **608**

adenoma, Fas ligand upregulation is an early event in colonic carcinogenesis, **598**

adenosine deaminase deficiency, Diagnosis of severe combined immunodeficiency: *leader*, **191**

adenovirus 8, No sequence variation in part of the hexon and the fibre genes of adenovirus 8 isolated from patients with conjunctivitis or epidemic keratoconjunctivitis (EKC) in Norway during 1989 to 1996, **558**

adrenal, A retroperitoneal bronchogenic cyst: a rare cause of a mass in the adrenal region, **801**

Adrenal lipomatous tumours: a 30 year clinico-pathological experience at a single institution, **707**

Primitive small round cell tumour of the adrenal gland presenting with fever of unknown origin and t(12;22)(q13;q12) cytogenetic finding, **966**

AFB smear, Identifying sputum specimens of high priority for examination by enhanced mycobacterial detection, identification, and susceptibility systems (EMDISS) to promote the rapid diagnosis of infectious pulmonary tuberculosis, **613**

age groups, Comparison of precancerous conditions: atrophy and intestinal metaplasia in *Helicobacter pylori* gastritis among Chinese and Dutch patients, **367**

AIDS, Immunohistochemical assessment of human herpesvirus 8 infection in primary central nervous system large B cell lymphomas, **617**

alcohol, Influence of smoking and alcohol on gastric chemokine mRNA expression in patients with *Helicobacter pylori* infection, **332**

alcoholic liver disease, Quantitative assessment of fibrosis and steatosis in liver biopsies from patients with chronic hepatitis C, **461**

Alder Hey, What's wrong with "retained organs"? Some personal reflections in the afterglow of "Alder Hey", **824**

Alder Hey report, The Alder Hey affair: implications for pathology practice: *editorial*, **820**

ALK, MUC1 (EMA) is preferentially expressed by ALK positive anaplastic large cell lymphoma, in the normally glycosylated or only partly hypoglycosylated form, **933**

ALK gene, Anaplastic large cell lymphoma with the t(2;5)(p23;q35) NPM/ALK chromosomal translocation and duplication of the short arm of the non-translocated chromosome 2 involving the full length of the ALK gene, **152**

amino acid sequence, Light chain amyloidosis of the urinary bladder. A site restricted deposition of an externally produced immunoglobulin, **920**

amyloidosis, Pulmonary marginal zone lymphoma of MALT type as a cause of localised pulmonary amyloidosis, **642**

analysis, Uncertainty in estimating blood ethanol concentrations by analysis of vitreous humour, **699**

anaphylactic reactions, IgA deficiency: what we should—or should not—be doing: *editorial*, **337**

anaplastic large cell lymphoma, Anaplastic large cell lymphoma: what's in a name?: *letter*, **494**

MUC1 (EMA) is preferentially expressed by ALK positive anaplastic large cell lymphoma, in the normally glycosylated or only partly hypoglycosylated form, **933**

anaplastic lymphoma kinase gene, Anaplastic large cell lymphoma: what's in a name?: *letter*, **494**

angiogenesis, The prognostic relevance of angiogenesis and mast cells in squamous cell carcinoma of the oesophagus, **940**

angiomyolipoma, Adrenal lipomatous tumours: a 30 year clinico-pathological experience at a single institution, **707**

angiosarcoma, Angiosarcoma arising from skeletal haemangiomatosis in an atomic bomb survivor, **716**

antibody deficiency, Treatment of EBV driven lymphoproliferation with erythrophagocytosis: 12 year follow up, **328**

antibody titres, Colonisation density and topographic localisation of *Helicobacter pylori* do not depend on the cagA status, **771**

anticardiolipin antibodies, Optimising testing for phospholipid antibodies, **693**

anti-F-actin antibodies, Whither smooth muscle antibodies in the third millennium?, **677**

anti-β2 glycoprotein 1, Optimising testing for phospholipid antibodies, **693**

antigen specific T cell response, Immune responses to tumour antigens: implications for antigen specific immunotherapy of cancer: *leader*, **669**

anti-IgA antibodies, IgA deficiency: what we should—or should not—be doing: *editorial*, **337**

antineutrophil cytoplasmic antibodies, MPO-ANCA may produce a combination of P-ANCA and atypical cytoplasmic ANCA indirect immunofluorescent patterns on certain ethanol fixed neutrophil substrates: *letter*, **335**

antineutrophil cytoplasmic antibody, Wegener's granulomatosis presenting as acute suppurative interstitial nephritis, **787**

antinuclear antibodies, Is it useful to test for antibodies to extractable nuclear antigens in the presence of a negative antinuclear antibody on Hep-2 cells?: *letter*, **413**

antioxidant activity, Method for the measurement of antioxidant activity in human fluids, **356**

antioxidants, Antioxidants in health and disease: *leader*, **176**

antiphospholipid syndrome, Optimising testing for phospholipid antibodies, **693**

antiviral chemotherapy, Investigation of CMV disease in immunocompromised patients: *leader*, **84**

aortic regurgitation, Active aortitis in relapsing polychondritis, **890**

aortitis, Active aortitis in relapsing polychondritis, **890**

AP-2 proteins, Expression of transcription factor AP-2 in colorectal adenomas and adenocarcinomas; comparison of immunohistochemistry and in situ hybridisation, **533**

apocrine differentiation, Mixed apocrine/endocrine ductal carcinoma in situ of the breast coexistent with lobular carcinoma in situ, **70**

apolipoprotein E, Apolipoprotein E alleles in women with pre-eclampsia, **652**

apoptosis, Apoptosis in squamous cell carcinoma of the lung: correlation with survival and clinicopathological features, **111**

Cytotoxic T cells in AIDS colonic cryptosporidiosis, **298**

Evidence of type II pneumocyte apoptosis in the pathogenesis of idiopathic pulmonary fibrosis (IFP)/usual interstitial pneumonia (UIP), **132**

Giant cell tumour of tendon sheath (localised nodular tenosynovitis): clinicopathological features of 71 cases, **404**

The expression of antiapoptotic proteins Bcl-2, Bcl-X_L, and Mcl-1 in benign, dysplastic, and malignant biliary epithelium, **927**

apoptosis specific protein, Apoptosis in squamous cell carcinoma of the lung: correlation with survival and clinicopathological features, **111**

arginine, Dimethylarginines in chronic renal failure, **470**

ascitic fluid, Value of carcinoembryonic antigen (CEA) and cholesterol assays of ascitic fluid in cases of inconclusive cytology, **831**

asplenic patient register, Overwhelming infection in asplenic patients: current best practice preventive measures are not being followed, **214**

asthma, New insights into the role of cytokines in asthma, **577**

astrocytoma, Loss of DCC expression in astrocytomas: relation to p53 abnormalities, cell kinetics, and survival, **860**

ataxia telangiectasia gene, Ataxia telangiectasia gene mutations in leukaemia and lymphoma: *leader*, **512**

atherosclerosis, Antioxidants in health and disease: *leader*, **176**

atomic bomb, Angiosarcoma arising from skeletal haemangiomatosis in an atomic bomb survivor, **716**

atrophy, Comparison of precancerous conditions: atrophy and intestinal metaplasia in *Helicobacter pylori* gastritis among Chinese and Dutch patients, **367**

audit, An audit of pathology lymph node dissection techniques in pylorus preserving Kausch–Whipple pancreatoduodenectomy specimens, **758**

Audit of colposcopy biopsy sectioning: *letter*, **735**

authorship, Scientific dishonesty: European reflections: *leader*, **4**

autoantibodies, Autoantibodies and overlap syndromes in autoimmune rheumatic disease, **340**

autoimmune hepatitis, Whither smooth muscle antibodies in the third millennium?, **677**

autoimmune rheumatic disease, Autoantibodies and overlap syndromes in autoimmune rheumatic disease, **340**
automation, Introduction of an automated service for the laboratory confirmation of meningococcal disease in Scotland, **556**

B cell lymphoma, The role of molecular analysis of immunoglobulin and T cell receptor gene rearrangements in the diagnosis of lymphoproliferative disorders, **565**
bacterial translocation, Bacterial translocation and immunohistochemical measurement of gut immune function, **619**
Barrett's oesophagus, The phenotype of gastric mucosa coexisting with Barrett's oesophagus, **456**
Barrett's oesophagus and gastric precancerous lesions, The phenotype of gastric mucosa coexisting with Barrett's oesophagus, **456**
bartonella, Detection of fastidious bacteria in cardiac valves in cases of blood culture negative endocarditis, **238**
Bcl-2, The expression of antiapoptotic proteins Bcl-2, Bcl-X_L, and Mcl-1 in benign, dysplastic, and malignant biliary epithelium, **927**
Bcl-X_L, The expression of antiapoptotic proteins Bcl-2, Bcl-X_L, and Mcl-1 in benign, dysplastic, and malignant biliary epithelium, **927**
benchmarking, Benchmarking and the laboratory: *leader*, **590**
benign mucinous cystadenoma, Clear cell carcinoma of the ovary arising in a mucinous cystadenoma: *letter*, **655**
best practice, Handling of renal biopsies: different approaches reflect a lack of evidence for what constitutes "best practice": *letter*, **413**
In reply: letter, **414**
best practice guidelines, Front line tests for the investigation of suspected porphyria: *leader*, **500**
bilirubin, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *leader*, **827**
biology, Papillomavirus research update: highlights of the Barcelona HPV 2000 international papillomavirus conference: *leader*, **163**
biopsy, Malignant mesothelioma: a comparison of biopsy and postmortem material by light microscopy and immunohistochemistry, **766**
The appropriateness of examining the entire cervix histologically in hysterectomy specimens from women with a previous history of cervical intraepithelial neoplasia or dyskaryosis, **155**
bladder tumours, Improved objectivity of grading of $T_{A,1}$ transitional cell carcinomas of the urinary bladder by quantitative nuclear and proliferation related features, **854**
blood, Uncertainty in estimating blood ethanol concentrations by analysis of vitreous humour, **699**
blood cultures, False penicillin resistance in *Neisseria meningitidis* following direct susceptibility tests from blood cultures, **893**
blood transfusions, IgA deficiency: what we should—or should not—be doing: *editorial*, **337**
bone marrow, Bone marrow trephine biopsy: *leader*, **737**
bone marrow aspirate, Bone marrow aspiration: *leader*, **657**
bone marrow transplantation, Diagnosis of severe combined immunodeficiency: *leader*, **191**
Status of umbilical cord blood transplantation in the year 2001: *leader*, **428**
bone neoplasm, High quality RNA isolation from tumours with low cellularity and high extracellular matrix component for cDNA microarrays: application to chondrosarcoma, **778**
BRCA1, The usefulness of antibodies to the BRCA1 protein in detecting the mutated BRCA1 gene. An immunohistochemical study, **476**
breast, Expression of-prolactin receptors in normal, benign, and malignant breast tissue: an immunohistological study, **956**
The use of a standard proforma in breast cancer reporting, **809**
breast cancer, Genetic characterisation of invasive breast cancer: a comparison of CGH and PCR based multiplex microsatellite analysis, **836**
$p21^{waf}$ correlates with DNA replication but not with prognosis in invasive breast cancer, **866**
Preoperative assessment of prognostic factors in breast cancer: *leader*, **20**
Sentinel node investigation in breast cancer: detailed analysis of the yield from step sectioning and immunohistochemistry, **550**
breast carcinoma, Comparison of core oestrogen receptor (ER) assay with excised tumour: intratumoral distribution of ER in breast carcinoma, **951**
Conversion to core biopsy in preoperative diagnosis of breast lesions: is it justified by results?, **762**
Expression of prolactin receptors in normal, benign, and malignant breast tissue: an immunohistological study, **956**
Immunohistochemical study of the expression of MUC5AC and MUC6 in breast carcinomas and adjacent breast tissues, **210**
Multifocal squamous cell carcinoma of the oesophagus following radiotherapy for bilateral breast carcinoma, **718**
Prognostic comparative study of S-phase fraction and Ki-67 index in breast carcinoma, **543**
The usefulness of antibodies to the BRCA1 protein in detecting the mutated BRCA1 gene. An immunohistochemical study, **476**
breast lymphoma, Mantle cell lymphoma presenting as a breast mass, **883**
bronchoalveolar lavage, Diagnosis of Gram negative, ventilator associated pneumonia by assaying endotoxin in bronchial lavage fluid, **107**
bronchogenic cyst, A retroperitoneal bronchogenic cyst: a rare cause of a mass in the adrenal region, **801**
bruising, Interpreting bruises at necropsy: *leader*, **348**
brush cytology, Brush cytology in the assessment of pancreatico–biliary strictures: a review of 406 cases, **449**
Burkholderia cepacia, Improved cultural detection of *Burkholderia cepacia* from sputum in patients with cystic fibrosis, **803**
***Burkholderia cepacia* selective agar,** Improved cultural detection of *Burkholderia cepacia* from sputum in patients with cystic fibrosis, **803**

cag pathogenicity island, Genetic diversity in the *Helicobacter pylori* cag pathogenicity island and effect on expression of anti-CagA serum antibody in UK patients with dyspepsia, **219**
cagA, Association between TNF-α promoter polymorphism and *Helicobacter pylori* cagA subtype infection, **703**
Genetic diversity in the *Helicobacter pylori* cag pathogenicity island and effect on expression of anti-CagA serum antibody in UK patients with dyspepsia, **219**
CagA antibody assay, Genetic diversity in the *Helicobacter pylori* cag pathogenicity island and effect on expression of anti-CagA serum antibody in UK patients with dyspepsia, **219**
calcium oxalate product, Why oral calcium supplements may reduce renal stone disease: report of a clinical pilot study, **54**
cancer immunotherapy, Current problems in the development of specific immunotherapeutic approaches to cancer: *commentary*, **675**
cancer registration, What constitutes a histological confirmation of cancer? A survey of terminology interpretation in two English regions, **246**
candida, Evaluation of CHROMagar candida for rapid identification and Etest for antifungal susceptibility testing in a district general hospital laboratory: *letter*, **158**
candida identification, Rapid identification of candida species by TaqMan PCR, **362**
carcinoembryonic antigen, Value of carcinoembryonic antigen (CEA) and cholesterol assays of ascitic fluid in cases of inconclusive cytology, **831**
carcinogenesis, Molecular genetic alterations in hamartomatous polyps and carcinomas of patients with Peutz-Jeghers syndrome, **126**
Pulmonary preinvasive neoplasia: *leader*, **257**
carcinoma, Lymphoepithelioma-like carcinoma of the vagina, **964**
cartilage, High quality RNA isolation from tumours with low cellularity and high extracellular matrix component for cDNA microarrays: application to chondrosarcoma, **778**
catenin, Immunohistochemical analysis of E-cadherin, α-catenin, β-catenin, γ-catenin, and neural cell adhesion molecule (NCAM) in chordoma, **945**
Nuclear β catenin expression is related to unfavourable outcome in oropharyngeal and hypopharyngeal squamous cell carcinoma, **42**
Reduced expression of α-catenin, β-catenin, and γ-catenin is associated with high cell proliferative activity and poor differentiation in non-small cell lung cancer, **391**
β-catenin Immunohistochemical analysis of candidate gene product expression in the duodenal epithelium of children with coeliac sprue, **684**
cause of death, Are coroners' necropsies necessary? A prospective study examining whether a "view and grant" system of death certification could be introduced into England and Wales, **279**
Interpreting bruises at necropsy: *leader*, **348**
CD34, CD34 positive stromal cells in gastric adenocarcinomas, **846**
CD94, Expression of killer cell inhibitory receptors is restricted to true NK cell lymphomas and a subset of intestinal enteropathy-type T cell lymphomas with a cytotoxic phenotype, **224**
cDNA microarray, High quality RNA isolation from tumours with low cellularity and high extracellular matrix component for cDNA microarrays: application to chondrosarcoma, **778**
cell expansion, Status of umbilical cord blood transplantation in the year 2001: *leader*, **428**
cell kinetics, Loss of DCC expression in astrocytomas: relation to p53 abnormalities, cell kinetics, and survival, **860**
cerebrospinal fluid; spectrophotometry, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *leader*, **827**
cervical cancer, Evaluation of extraction methods from paraffin wax embedded tissues for PCR amplification of human and viral DNA, **401**
cervical intraepithelial neoplasia, The prognosis in cervical epithelial changes of uncertain significance is similar to that of cervical intraepithelial neoplasia grade 1, **474**
cervical lesions, Distribution and viral load of type specific HPVs in different cervical lesions as detected by PCR-ELISA, **377**
cervix uteri, How many histological levels should be examined from tissue blocks originating in cone biopsy and large loop excision of the transformation zone specimens of cervix?, **650**
The appropriateness of examining the entire cervix histologically in hysterectomy specimens from women with a previous history of cervical intraepithelial neoplasia or dyskaryosis, **155**
chance, Random, chance, or hazard?: *correspondence*, **254**

chemical gastritis, The histopathology of non-steroidal anti-inflammatory drug induced gastroduodenal damage: correlation with *Helicobacter pylori*, ulcers, and haemorrhagic events, **521**
chickenpox, Vaccination to prevent varicella and shingles, **743**
China, Comparison of precancerous conditions: atrophy and intestinal metaplasia in *Helicobacter pylori* gastritis among Chinese and Dutch patients, **367**
cholangiocarcinoma, The expression of antiapoptotic proteins Bcl-2, Bcl-X_L, and Mcl-1 in benign, dysplastic, and malignant biliary epithelium, **927**
cholesterol, Value of carcinoembryonic antigen (CEA) and cholesterol assays of ascitic fluid in cases of inconclusive cytology, **831**
chondrosarcoma, High quality RNA isolation from tumours with low cellularity and high extracellular matrix component for cDNA microarrays: application to chondrosarcoma, **778**
chordoma, Immunohistochemical analysis of E-cadherin, α-catenin, β-catenin, γ-catenin, and neural cell adhesion molecule (NCAM) in chordoma, **945**
CHROMagar, Evaluation of CHROMagar candida for rapid identification and Etest for antifungal susceptibility testing in a district general hospital laboratory: *letter*, **158**
chromosomal translocation, Anaplastic large cell lymphoma with the t(2;5)(p23;q35) NPM/ALK chromosomal translocation and duplication of the short arm of the non-translocated chromosome 2 involving the full length of the ALK gene, **152**
chromosome 5, Evidence for loss of heterozygosity of 5q in sporadic haemangiomas: are somatic mutations involved in haemangioma formation?, **249**
chronic fatigue syndrome, High prevalence of serum markers of coeliac disease in patients with chronic fatigue syndrome: *letter*, **335**
chronic granulocytic leukaemia, Validation of the Hasford score in a demographic study in chronic granulocytic leukaemia, **491**
chronic granulomatous disease, Neutrophil disorders and their management: *leader*, **7**
chronic lymphocytic leukaemia, Fatal legionella pneumonia after fludarabine treatment in chronic lymphocytic leukaemia: *letter*, **412**
chronic mucocutaneous candidiasis, Immunology of chronic mucocutaneous candidiasis: *editorial*, **81**
chronic renal failure, Dimethylarginines in chronic renal failure, **470**
CIN, HPV detection and measurement of HPV-16, telomerase, and survivin transcripts in colposcopy clinic patients, **304**
citation, Impactitis: new cures for an old disease: *editorial*, **817**
c-kit, The histopathological differential diagnosis of gastrointestinal stromal tumours, **96**
clarithromycin, Role of screening agar plates for in vitro susceptibility testing of *Helicobacter pylori* in a routine laboratory setting, **408**
clear cell carcinoma, Clear cell adenocarcinoma of the colon arising in endometriosis: a rare variant of primary colonic adenocarcinoma: *letter*, **76**
clear cell carcinoma of the ovary, Clear cell carcinoma of the ovary arising in a mucinous cystadenoma: *letter*, **655**
clonality analysis, The role of molecular analysis of immunoglobulin and T cell receptor gene rearrangements in the diagnosis of lymphoproliferative disorders, **565**
Clostridium difficile, Evidence for antibiotic induced *Clostridium perfringens* diarrhoea, **748**
Clostridium perfringens, Evidence for antibiotic induced *Clostridium perfringens* diarrhoea, **748**
coeliac disease, High prevalence of serum markers of coeliac disease in patients with chronic fatigue syndrome: *letter*, **335**
Immunohistochemical analysis of candidate gene product expression in the duodenal epithelium of children with coeliac sprue, **684**
Transthyretin values correlate with mucosal recovery in patients with coeliac disease taking a gluten free diet, **783**
colon, Clear cell adenocarcinoma of the colon arising in endometriosis: a rare variant of primary colonic adenocarcinoma: *letter*, **76**
Cytotoxic T cells in AIDS colonic cryptosporidiosis, **298**
Fas ligand upregulation is an early event in colonic carcinogenesis, **598**
colorectal cancer, Current problems in the development of specific immunotherapeutic approaches to cancer: *commentary*, **675**
Immunohistochemistry for MSH2 and MHL1: a method for identifying mismatch repair deficient colorectal cancer, **484**
colorectal carcinoma, The physiological expression of inducible nitric oxide synthase (iNOS) in the human colon, **293**
colorectal neoplasms, Expression of transcription factor AP-2 in colorectal adenomas and adenocarcinomas; comparison of immunohistochemistry and in situ hybridisation, **533**
colposcopy biopsy sectioning, Audit of colposcopy biopsy sectioning: *letter*, **735**
common variable immunodeficiency, Long term recovery of IgG and IgM production during HIV infection in a patient with common variable immunodeficiency (CVID), **713**
communication, What constitutes a histological confirmation of cancer? A survey of terminology interpretation in two English regions, **246**
comparative genomic hybridisation, Genetic characterisation of invasive breast cancer: a comparison of CGH and PCR based multiplex microsatellite analysis, **836**
computer, The use of the Reflection computer program for facilitating report formulation in the medical microbiology laboratory: *letter*, **159**
computerised tomography, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *leader*, **827**
conjunctivitis, No sequence variation in part of the hexon and the fibre genes of adenovirus 8 isolated from patients with conjunctivitis or epidemic keratoconjunctivitis (EKC) in Norway during 1989 to 1996, **558**
consent, What's wrong with "retained organs"? Some personal reflections in the afterglow of "Alder Hey", **824**
core biopsy, Comparison of core oestrogen receptor (ER) assay with excised tumour: intratumoral distribution of ER in breast carcinoma, **951**
Conversion to core biopsy in preoperative diagnosis of breast lesions: is it justified by results?, **762**
coronary heart disease, Antioxidants in health and disease: *leader*, **176**
coroner, Are coroners' necropsies necessary? A prospective study examining whether a "view and grant" system of death certification could be introduced into England and Wales, **279**
cost, Workload, organisation, and cost of haematology laboratory out of hours services, **647**
coxiella, Detection of fastidious bacteria in cardiac valves in cases of blood culture negative endocarditis, **238**
cruciate ligaments, Retain or sacrifice the posterior cruciate ligament in total knee arthroplasty? A histopathological study of the cruciate ligament in osteoarthritic and rheumatoid disease, **381**
cryptosporidiosis, Cytotoxic T cells in AIDS colonic cryptosporidiosis, **298**
C-X-C chemokine, Influence of smoking and alcohol on gastric chemokine mRNA expression in patients with *Helicobacter pylori* infection, **332**
cyclin B1, Expression of cyclins and cyclin dependent kinases in human benign and malignant melanocytic lesions, **229**
cyclin D1, Mantle cell lymphoma presenting as a breast mass, **883**
cyclin dependent kinase 2, Expression of cyclins and cyclin dependent kinases in human benign and malignant melanocytic lesions, **229**
cyclin E, Expression of cyclins and cyclin dependent kinases in human benign and malignant melanocytic lesions, **229**
cylindromatosis locus CYLD, Loss of heterozygosity at cylindromatosis gene locus, CYLD, in sporadic skin adnexal tumours, **689**
cystic fibrosis, Improved cultural detection of *Burkholderia cepacia* from sputum in patients with cystic fibrosis, **803**
cysts, Florid cystic endosalpingiosis of the uterus, **399**
cytogenetic, Primitive small round cell tumour of the adrenal gland presenting with fever of unknown origin and t(12;22)(q13;q12) cytogenetic finding, **966**
cytogenetic abnormalities, Dual colour FISH in paraffin wax embedded bone trephines for identification of numerical and structural chromosomal abnormalities in acute myeloid leukaemia and myelodysplasia, **730**
cytogenetics, Erythroleukaemia in the north of England: a population based study, **608**
cytokeratin, Cytokeratin expression by CD34 positive blasts in a case of refractory anaemia with excess of blasts in transformation (RAEB-t): *letter*, **735**
cytokeratin 20, Merkel cell carcinoma can be distinguished from metastatic small cell carcinoma using antibodies to cytokeratin 20 and thyroid transcription factor 1, **727**
cytokines, Current problems in the development of specific immunotherapeutic approaches to cancer: *commentary*, **675**
Immunology of chronic mucocutaneous candidiasis: *editorial*, **81**
New insights into the role of cytokines in asthma, **577**
cytology, Value of carcinoembryonic antigen (CEA) and cholesterol assays of ascitic fluid in cases of inconclusive cytology, **831**
cytotoxicity, Cytotoxic T cells in AIDS colonic cryptosporidiosis, **298**

D-dimer assay, D-Dimer testing: the role of the clinical laboratory in the diagnosis of pulmonary embolism: *leader*, **664**
degenerative change, Age related changes in the tunica media of the vertebral artery: implications for the assessment of vessels injured by trauma, **139**
deleted in colon carcinoma gene, Immunohistochemical analysis of candidate gene product expression in the duodenal epithelium of children with coeliac sprue, **684**
deleted in colorectal carcinoma gene, Loss of DCC expression in astrocytomas: relation to p53 abnormalities, cell kinetics, and survival, **860**
demand management, Are clinicians failing to supply adequate information when requesting a histopathological investigation?, **806**
Successful demand management in histopathology: a model using sputum cytology: *letter*, **896**
density, Colonisation density and topographic localisation of *Helicobacter pylori* do not depend on the cagA status, **771**

developing countries, The *Journal of Clinical Pathology* online (http://www.jclinpath.com): free for the developing countries: *editorial*, **497**
Di Guglielmo, Acute erythremic myelosis (true erythroleukaemia): a variant of AML FAB-M6, **205**
diabetes, *Helicobacter pylori* infection and fasting plasma glucose concentration, **466**
diagnosis, Anaplastic large cell lymphoma: what's in a name?: *letter*, **494**
How many histological levels should be examined from tissue blocks originating in cone biopsy and large loop excision of the transformation zone specimens of cervix?, **650**
Identifying sputum specimens of high priority for examination by enhanced mycobacterial detection, identification, and susceptibility systems (EMDISS) to promote the rapid diagnosis of infectious pulmonary tuberculosis, **613**
The appropriateness of examining the entire cervix histologically in hysterectomy specimens from women with a previous history of cervical intraepithelial neoplasia or dyskaryosis, **155**
The histopathological differential diagnosis of gastrointestinal stromal tumours, **96**
The prognosis in cervical epithelial changes of uncertain significance is similar to that of cervical intraepithelial neoplasia grade 1, **474**
diagnostic microbiology, Evidence based diagnostic microbiology: has its time come?, **441**
dialysis, Dimethylarginines in chronic renal failure, **470**
diastase resistant cells, The importance of intracytoplasmic DPAS positivity in fine needle aspirates of breast lesions, **146**
diet, Salicylic acid in the serum of subjects not taking aspirin. Comparison of salicylic acid concentrations in the serum of vegetarians, non-vegetarians, and patients taking low dose aspirin, **553**
dietary calcium, Why oral calcium supplements may reduce renal stone disease: report of a clinical pilot study, **54**
differential diagnosis, A retroperitoneal bronchogenic cyst: a rare cause of a mass in the adrenal region, **801**
Sarcoma of the thyroid region mimicking Riedel's thyroiditis, **570**
differentiation, Reduced expression of α-catenin, β-catenin, and γ-catenin is associated with high cell proliferative activity and poor differentiation in non-small cell lung cancer, **391**
diffuse type, CD34 positive stromal cells in gastric adenocarcinomas, **846**
dimethylarginines, Dimethylarginines in chronic renal failure, **470**
discrepancy/prevalence, Comparison of precancerous conditions: atrophy and intestinal metaplasia in *Helicobacter pylori* gastritis among Chinese and Dutch patients, **367**
disseminated, Fatal disseminated fusarium infection in acute lymphoblastic leukaemia in complete remission, **488**
DNA extraction, Evaluation of extraction methods from paraffin wax embedded tissues for PCR amplification of human and viral DNA, **401**
DNA flow cytometry, Prognostic comparative study of S-phase fraction and Ki-67 index in breast carcinoma, **543**
DNA topoisomerase IIα, Predictive value of topoisomerase IIα immunostaining in urothelial bladder carcinoma, **309**
Down's syndrome, Down's syndrome screening: a controversial test, with more controversy to come!: *letter*, **573**
ductal carcinoma in situ, Mixed apocrine/endocrine ductal carcinoma in situ of the breast coexistent with lobular carcinoma in situ, **70**
duplication, Anaplastic large cell lymphoma with the t(2;5)(p23:q35) NPM/ALK chromosomal translocation and duplication of the short arm of the non-translocated chromosome 2 involving the full length of the ALK gene, **152**
dyserythropoiesis, Prominent dyserythropoiesis in four cases of haemophagocytic lymphohistiocytosis, **961**
dysplasia, Serrated neoplasia of the stomach: a new entity, **849**

E-cadherin, Immunohistochemical analysis of candidate gene product expression in the duodenal epithelium of children with coeliac sprue, **684**
Immunohistochemical analysis of E-cadherin, α-catenin, β-catenin, γ-catenin, and neural cell adhesion molecule (NCAM) in chordoma, **945**
electron microscopy, Electron microscopy of myocardial tissue. A nine year review, **321**
endocarditis, Detection of fastidious bacteria in cardiac valves in cases of blood culture negative endocarditis, **238**
endocrinopathy, Immunology of chronic mucocutaneous candidiasis: *editorial*, **81**
endometrial carcinoma, Hormone replacement therapy and the endometrium: *leader*, **435**
endometrial hyperplasia, Hormone replacement therapy and the endometrium: *leader*, **435**
endometrial stromal sarcoma, Uterine endometrial stromal sarcoma with smooth muscle and glandular differentiation, **481**
endometriosis, An unusually aggressive case of endometriosis showing p53 expression, **396**
Clear cell adenocarcinoma of the colon arising in endometriosis: a rare variant of primary colonic adenocarcinoma: *letter*, **76**
Clear cell carcinoma of the ovary arising in a mucinous cystadenoma: *letter*, **655**
In reply: *letter*, **655**
endometriotic cyst, Clear cell carcinoma of the ovary arising in a mucinous cystadenoma: *letter*, **655**
In reply: *letter*, **655**
endometrium, Hormone replacement therapy and the endometrium: *leader*, **435**
Primary peripheral T cell lymphoma of the endometrium, **74**
endomysial antibodies, High prevalence of serum markers of coeliac disease in patients with chronic fatigue syndrome: *letter*, **335**
endosalpingiosis, Florid cystic endosalpingiosis of the uterus, **399**
endotoxin, Diagnosis of Gram negative, ventilator associated pneumonia by assaying endotoxin in bronchial lavage fluid, **107**
enucleation, Necropsy techniques in ophthalmic pathology: *leader*, **417**
enzyme linked immunoassay, Time resolved fluorometric immunoassay, using europium labelled antihuman IgG, for the detection of human tetanus antitoxin in serum, **812**
enzyme linked immunosorbent assay, An evaluation of three commercial kits for use as screening methods for the detection of leptospiral antibodies in the UK, **25**
Antibodies to extractable nuclear antigens. Has technological drift affected clinical interpretation?: *leader*, **187**
eosinophilic angiocentric fibrosis, Eosinophilic angiocentric fibrosis and Wegener's granulomatosis: a case report and literature review, **640**
epidemiology, Papillomavirus research update: highlights of the Barcelona HPV 2000 international papillomavirus conference: *leader*, **163**
epidermal growth factor, Genetic characterisation of invasive breast cancer: a comparison of CGH and PCR based multiplex microsatellite analysis, **836**
Epstein-Barr virus, Post-transplant malignant lymphoma with monoclonal immunoglobulin gene rearrangement and polyclonal Epstein-Barr virus episomes, **887**
Epstein-Barr virus associated haemophagocytic syndrome, Treatment of EBV driven lymphoproliferation with erythrophagocytosis: 12 year follow up, **328**
erythremic myelosis, Acute erythremic myelosis (true erythroleukaemia): a variant of AML FAB-M6, **205**
erythroleukaemia, Acute erythremic myelosis (true erythroleukaemia): a variant of AML FAB-M6, **205**
Erythroleukaemia in the north of England: a population based study, **608**
Etest, Evaluation of CHROMagar candida for rapid identification and Etest for antifungal susceptibility testing in a district general hospital laboratory: *letter*, **158**
ethanol, Uncertainty in estimating blood ethanol concentrations by analysis of vitreous humour, **699**
ethanol fixation, MPO-ANCA may produce a combination of P-ANCA and atypical cytoplasmic ANCA indirect immunofluorescent patterns on certain ethanol fixed neutrophil substrates: *letter*, **335**
evidence based practice, Evidence based diagnostic microbiology: has its time come?, **441**
expression profile, High quality RNA isolation from tumours with low cellularity and high extracellular matrix component for cDNA microarrays: application to chondrosarcoma, **778**
extractable nuclear antibodies, Is it useful to test for antibodies to extractable nuclear antigens in the presence of a negative antinuclear antibody on Hep-2 cells?: *letter*, **413**
extractable nuclear antigen, Antibodies to extractable nuclear antigens. Has technological drift affected clinical interpretation?: *leader*, **187**

familial haemophagocytic lymphohistiocytosis, Prominent dyserythropoiesis in four cases of haemophagocytic lymphohistiocytosis, **961**
Fas (CD95/APO-1), Fas ligand upregulation is an early event in colonic carcinogenesis, **598**
Fas ligand, Fas ligand upregulation is an early event in colonic carcinogenesis, **598**
fatty, Predominant fatty variant of myofibroblastoma of breast, **568**
fetal cerebral haemorrhage, Massive acute thymic haemorrhage and cerebral haemorrhage in an intrauterine fetal death, **796**
fetal thymic haemorrhage, Massive acute thymic haemorrhage and cerebral haemorrhage in an intrauterine fetal death, **796**
fibroadenoma, Expression of acidic fibroblast growth factor (aFGF) and fibroblast growth factor receptor 4 (FGFR4) in breast fibroadenomas, **37**
fibroblast growth factor receptor 4, Expression of acidic fibroblast growth factor (aFGF) and fibroblast growth factor receptor 4 (FGFR4) in breast fibroadenomas, **37**
fibrous histiocytoma, Sarcoma of the thyroid region mimicking Riedel's thyroiditis, **570**
fine needle aspiration cytology, Preoperative assessment of prognostic factors in breast cancer: *leader*, **20**
fine needle aspiration cytology, Conversion to core biopsy in preoperative diagnosis of breast lesions: is it justified by results?, **767**

The role and histological classification of needle core biopsy in comparison with fine needle aspiration cytology in the preoperative assessment of impalpable breast lesions, **121**

fine needle aspiration of breast, The importance of intracytoplasmic DPAS positivity in fine needle aspirates of breast lesions, **146**

flow cytometry, UK NEQAS for leucocyte immunophenotyping: the first 10 years: *leader,* **508**

fludarabine, Fatal legionella pneumonia after fludarabine treatment in chronic lymphocytic leukaemia: *letter,* **412**

fluorescence in situ hybridisation, Anaplastic large cell lymphoma with the t(2;5)(p23;q35) NPM/ALK chromosomal translocation and duplication of the short arm of the non-translocated chromosome 2 involving the full length of the ALK gene, **152**

Dual colour FISH in paraffin wax embedded bone trephines for identification of numerical and structural chromosomal abnormalities in acute myeloid leukaemia and myelodysplasia, **730**

fluorometric immunoassay, Time resolved fluorometric immunoassay, using europium labelled antihuman IgG, for the detection of human tetanus antitoxin in serum, **812**

follow up study, The prognosis in cervical epithelial changes of uncertain significance is similar to that of cervical intraepithelial neoplasia grade 1, **474**

foreign bodies, Dietary dangers: ingestion of a bread bag clip: *letter,* **79**

formalin, Formalin or not formalin; that is the question: *letter,* **734**

fraud, Scientific dishonesty: European reflections: *leader,* **4**

fraudulent data, Scientific dishonesty: European reflections: *letter,* **573**

free access, The *Journal of Clinical Pathology* online (http://www.jclinpath.com): free for the developing countries: *editorial,* **497**

free oxygen radicals, Method for the measurement of antioxidant activity in human fluids, **356**

free radical damage, Measurement of total antioxidant capacity: *editorial,* **339**

free radicals, Antioxidants in health and disease: *leader,* **176**

fusarium, Fatal disseminated fusarium infection in acute lymphoblastic leukaemia in complete remission, **488**

gastric adenocarcinoma, CD34 positive stromal cells in gastric adenocarcinomas, **846**

gastric adenoma, Serrated neoplasia of the stomach: a new entity, **849**

gastric atrophy, Application of quantitative techniques for the assessment of gastric atrophy: *editorial,* **161**

Rapid quantitative assessment of gastric corpus atrophy in tissue sections, **63**

gastric cancer, Gastric intestinal metaplasia: subtypes and natural history, **679**

gastric carcinoma, Application of quantitative techniques for the assessment of gastric atrophy: *editorial,* **161**

Serrated neoplasia of the stomach: a new entity, **849**

gastric serrated neoplasia, Serrated neoplasia of the stomach: a new entity, **849**

gastrin, *Helicobacter pylori* infection and fasting plasma glucose concentration, **466**

gastritis, Comparison of precancerous conditions: atrophy and intestinal metaplasia in *Helicobacter pylori* gastritis among Chinese and Dutch patients, **367**

Interleukin 10 in *Helicobacter pylori* associated gastritis: immunohistochemical localisation and in vitro effects on cytokine secretion, **285**

gastritis in Barrett's oesophagus, The phenotype of gastric mucosa coexisting with Barrett's oesophagus, **456**

gastrointestinal stromal tumours, The histopathological differential diagnosis of gastrointestinal stromal tumours, **96**

gel precipitation, Antibodies to extractable nuclear antigens. Has technological drift affected clinical interpretation?: *leader,* **187**

gene polymorphism, Apolipoprotein E alleles in women with pre-eclampsia, **652**

genetic counselling, Should we screen for globin gene mutations in blood samples with mean corpuscular volume (MCV) greater than 80 fL in areas with a high prevalence of thalassaemia?, **317**

giant cell tumour tendon sheath, Giant cell tumour of tendon sheath (localised nodular tenosynovitis): clinicopathological features of 71 cases, **404**

globin gene mutation, Should we screen for globin gene mutations in blood samples with mean corpuscular volume (MCV) greater than 80 fL in areas with a high prevalence of thalassaemia?, **317**

glucose, *Helicobacter pylori* infection and fasting plasma glucose concentration, **466**

gold, Lymphadenopathy and lymph node infarction as a result of gold injections, **562**

grading of gastritis, Application of quantitative techniques for the assessment of gastric atrophy: *editorial,* **161**

graft versus host disease, Status of umbilical cord blood transplantation in the year 2001: *leader,* **428**

granzyme B, Expression of killer cell inhibitory receptors is restricted to true NK cell lymphomas and a subset of intestinal enteropathy-type T cell lymphomas with a cytotoxic phenotype, **224**

guidelines, Handling of renal biopsies: different approaches reflect a lack of evidence for what constitutes "best practice": *letter,* **413**

In reply: letter, **414**

Thrombophilia testing: science or medicine?: *correspondence,* **254**

UK NEQAS for leucocyte immunophenotyping: the first 10 years: *leader,* **508**

When should a coroner's inquest be held? The Manchester guidelines for pathologists: *letter,* **495**

haematological diagnosis, Bone marrow trephine biopsy: *leader,* **737**

haem biosynthesis, Front line tests for the investigation of suspected porphyria: *leader,* **500**

haemangioma, Angiosarcoma arising from skeletal haemangiomatosis in an atomic bomb survivor, **716**

Evidence for loss of heterozygosity of 5q in sporadic haemangiomas: are somatic mutations involved in haemangioma formation?, **249**

haematological diagnosis, Bone marrow aspiration: *leader,* **657**

haematology, Workload, organisation, and cost of haematology laboratory out of hours services, **647**

haemoglobin variant, Increasing recognition of haemoglobin Le Lamentin: *letter,* **970**

haemophagocytic lymphohistiocytosis, Prominent dyserythropoiesis in four cases of haemophagocytic lymphohistiocytosis, **961**

hamartoma, Molecular genetic alterations in hamartomatous polyps and carcinomas of patients with Peutz-Jeghers syndrome, **126**

Hasford score, Validation of the Hasford score in a demographic study in chronic granulocytic leukaemia, **491**

Helicobacter heilmannii, *Helicobacter heilmannii* gastritis: a histological and immunohistochemical trait, **774**

Helicobacter pylori, Acridine orange stain in the histological identification of *Helicobacter pylori*: *letter,* **734**

Association between TNF-α promoter polymorphism and *Helicobacter pylori* cagA subtype infection, **703**

Gastric intestinal metaplasia: subtypes and natural history, **679**

Genetic diversity in the *Helicobacter pylori* cag pathogenicity island and effect on expression of anti-CagA serum antibody in UK patients with dyspepsia, **219**

Helicobacter heilmannii gastritis: a histological and immunohistochemical trait, **774**

Helicobacter pylori infection and fasting plasma glucose concentration, **466**

Influence of smoking and alcohol on gastric chemokine mRNA expression in patients with *Helicobacter pylori* infection, **332**

Role of screening agar plates for in vitro susceptibility testing of *Helicobacter pylori* in a routine laboratory setting, **408**

The histopathology of non-steroidal anti-inflammatory drug induced gastroduodenal damage: correlation with *Helicobacter pylori*, ulcers, and haemorrhagic events, **521**

***Helicobacter pylori* colonisation,** Colonisation density and topographic localisation of *Helicobacter pylori* do not depend on the cagA status, **771**

***Helicobacter pylori* infected,** Comparison of precancerous conditions: atrophy and intestinal metaplasia in *Helicobacter pylori* gastritis among Chinese and Dutch patients, **367**

***Helicobacter pylori* infection,** Interleukin 10 in *Helicobacter pylori* associated gastritis: immunohistochemical localisation and in vitro effects on cytokine secretion, **285**

***Helicobacter pylori* topography,** Colonisation density and topographic localisation of *Helicobacter pylori* do not depend on the cagA status, **771**

Hep-2 cell line, Evaluation of different continuous cell lines in the isolation of mumps virus by the shell vial method from clinical samples, **924**

Hep-2 cells, Is it useful to test for antibodies to extractable nuclear antigens in the presence of a negative antinuclear antibody on Hep-2 cells?: *letter,* **413**

heparin induced thrombocytopenia, Heparin induced thrombocytopenia thrombosis (HIT/T) syndrome: diagnosis and treatment: *leader,* **272**

hepatic fibrosis, Quantitative assessment of fibrosis and steatosis in liver biopsies from patients with chronic hepatitis C, **461**

hepatitis C, Quantitative assessment of fibrosis and steatosis in liver biopsies from patients with chronic hepatitis C, **461**

hepatocyte growth factor, Malignant peripheral nerve sheath tumour arising within neurofibroma. An immunohistochemical analysis in the comparison between benign and malignant components, **631**

hereditary non-polyposis colorectal cancer, Immunohistochemistry for MSH2 and MHL1: a method for identifying mismatch repair deficient colorectal cancer, **484**

hereditary non-polyposis colorectal carcinoma, Microsatellite unstable colorectal cancer: *letter,* **573**

herpes zoster, Vaccination to prevent varicella and shingles, **743**

heterotopic/ectopic pancreas, Solid and papillary epithelial neoplasm arising in heterotopic pancreatic tissue of the mesocolon, **241**

high grade morphology, Evidence of nerve sheath differentiation and high grade morphology in sclerosing epithelioid fibrosarcoma, **721**

high iron diamine, Gastric intestinal metaplasia: subtypes and natural history, **679**

highly active antiretroviral therapy, Long term recovery of IgG and IgM production during HIV infection in a patient with common variable immunodeficiency (CVID), **713**

histological classification, Histological typing of lung and pleural tumours: third edition: *editorial*, **498**

histology, Dietary dangers: ingestion of a bread bag clip: *letter*, **79**

Retain or sacrifice the posterior cruciate ligament in total knee arthroplasty? A histopathological study of the cruciate ligament in osteoarthritic and rheumatoid disease, **381**

histopathology, The Alder Hey affair: implications for pathology practice: *editorial*, **820**

The use of a standard proforma in breast cancer reporting, **809**

Hodgkin's disease, MUC1 (EMA) is preferentially expressed by ALK positive anaplastic large cell lymphoma, in the normally glycosylated or only partly hypoglycosylated form, **933**

Simultaneous occurrence of Epstein-Barr virus associated Hodgkin's disease and HHV-8 related multicentric Castleman's disease: a fortuitous event?, **790**

hormone replacement therapy, Hormone replacement therapy and the endometrium: *leader*, **435**

hospital acquired infective diarrhoea, Evidence for antibiotic induced *Clostridium perfringens* diarrhoea, **748**

human breast, Expression of acidic fibroblast growth factor (aFGF) and fibroblast growth factor receptor 4 (FGFR4) in breast fibroadenomas, **37**

human fluids, Method for the measurement of antioxidant activity in human fluids, **356**

human herpesvirus 6, Association of human β-herpesviruses with the development of cervical cancer: bystanders or cofactors, **48**

Fatal acute myocarditis in an infant with human herpesvirus 6 infection, **792**

human herpesvirus 7, Association of human β-herpesviruses with the development of cervical cancer: bystanders or cofactors, **48**

human herpesvirus 8, Immunohistochemical assessment of human herpesvirus 8 infection in primary central nervous system large B cell lymphomas, **617**

Simultaneous occurrence of Epstein-Barr virus associated Hodgkin's disease and HHV-8 related multicentric Castleman's disease: a fortuitous event?, **790**

human immunodeficiency virus, Immunohistochemical assessment of human herpesvirus 8 infection in primary central nervous system large B cell lymphomas, **617**

Long term recovery of IgG and IgM production during HIV infection in a patient with common variable immunodeficiency (CVID), **713**

Vasculitides associated with HIV infection: *leader*, **275**

human immunodeficiency virus infection, UK NEQAS for leucocyte immunophenotyping: the first 10 years: *leader*, **508**

human papillomavirus, Association of human β-herpesviruses with the development of cervical cancer: bystanders or cofactors, **48**

p53 codon 72 polymorphism and human papillomavirus associated skin cancer, **539**

human papillomavirus distribution, Distribution and viral load of type specific HPVs in different cervical lesions as detected by PCR-ELISA, **377**

human papillomavirus type 16, HPV detection and measurement of HPV-16, telomerase, and survivin transcripts in colposcopy clinic patients, **304**

hydrops fetalis, Massive acute thymic haemorrhage and cerebral haemorrhage in an intrauterine fetal death, **796**

I cell disease, Peripheral blood lymphocyte appearance in a case of I cell disease, **724**

idiopathic pulmonary fibrosis, Evidence of type II pneumocyte apoptosis in the pathogenesis of idiopathic pulmonary fibrosis (IFP)/usual interstitial pneumonia (UIP), **132**

IgA deficiency, IgA deficiency: what we should—or should not—be doing: *editorial*, **337**

immune complexes, Heparin induced thrombocytopenia thrombosis (HIT/T) syndrome: diagnosis and treatment: *leader*, **272**

immune function, Bacterial translocation and immunohistochemical measurement of gut immune function, **619**

immunisation, Overwhelming infection in asplenic patients: current best practice preventive measures are not being followed, **214**

immunochemistry, Cytotoxic T cells in AIDS colonic cryptosporidiosis, **298**

immunocompromise, Vasculitides associated with HIV infection: *leader*, **275**

immunocytochemistry, An unusually aggressive case of endometriosis showing p53 expression, **396**

immunofluorescent staining, MPO-ANCA may produce a combination of P-ANCA and atypical cytoplasmic ANCA indirect immunofluorescent patterns on certain ethanol fixed neutrophil substrates: *letter*, **335**

immunoglobulin and T cell receptor genes, The role of molecular analysis of immunoglobulin and T cell receptor gene rearrangements in the diagnosis of lymphoproliferative disorders, **565**

immunohistochemical study, The usefulness of antibodies to the BRCA1 protein in detecting the mutated BRCA1 gene. An immunohistochemical study, **476**

immunohistochemistry, Acridine orange stain in the histological identification of *Helicobacter pylori*: *letter*, **734**

Bacterial translocation and immunohistochemical measurement of gut immune function, **619**

Clear cell adenocarcinoma of the colon arising in endometriosis: a rare variant of primary colonic adenocarcinoma: *letter*, **76**

Cytokeratin expression by CD34 positive blasts in a case of refractory anaemia with excess of blasts in transformation (RAEB-t): *letter*, **735**

Detection of progesterone receptor forms A and B by immunohistochemical analysis, **624**

Expression of transcription factor AP-2 in colorectal adenomas and adenocarcinomas; comparison of immunohistochemistry and in situ hybridisation, **533**

Immunohistochemical demonstration of oestrogen and progesterone receptors: *letter*, **78**

In reply: *letter*, **78**

Interleukin 10 in *Helicobacter pylori* associated gastritis: immunohistochemical localisation and in vitro effects on cytokine secretion, **285**

Malignant mesothelioma: a comparison of biopsy and postmortem material by light microscopy and immunohistochemistry, **766**

Malignant peripheral nerve sheath tumour arising within neurofibroma. An immunohistochemical analysis in the comparison between benign and malignant components, **631**

Observer accuracy in estimating proportions in images: implications for the semiquantitative assessment of staining reactions and a proposal for a new system, **385**

$p21^{waf}$ correlates with DNA replication but not with prognosis in invasive breast cancer, **866**

Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **517**

Prognostic comparative study of S-phase fraction and Ki-67 index in breast carcinoma, **543**

Sentinel node investigation in breast cancer: detailed analysis of the yield from step sectioning and immunohistochemistry, **550**

The usefulness of tyrosinase in the immunohistochemical assessment of melanocytic lesions: a comparison of the novel T311 antibody (anti-tyrosinase) with S-100, HMB45, and A103 (anti-melan-A), **196**

Thyroglobulin immunoreactivity in lymph node histiocytes: a potential diagnostic pitfall, **314**

Topoisomerase IIα and IIβ expression in childhood acute lymphoblastic leukaemia: relation to prognostic factors and clinical outcome, **31**

immunohistology, Expression of cyclins and cyclin dependent kinases in human benign and malignant melanocytic lesions, **229**

immunology, Papillomavirus research update: highlights of the Barcelona HPV 2000 international papillomavirus conference: *leader*, **163**

impact factor, Impactitis: new cures for an old disease: *editorial*, **817**

impalpable breast lesions, The role and histological classification of needle core biopsy in comparison with fine needle aspiration cytology in the preoperative assessment of impalpable breast lesions, **121**

in situ hybridisation, Expression of transcription factor AP-2 in colorectal adenomas and adenocarcinomas; comparison of immunohistochemistry and in situ hybridisation, **533**

inclusion bodies, Investigation of CMV disease in immunocompromised patients: *leader*, **84**

Peripheral blood lymphocyte appearance in a case of I cell disease, **724**

indirect haemagglutination assay, An evaluation of three commercial kits for use as screening methods for the detection of leptospiral antibodies in the UK, **25**

indirect immunofluorescence, High prevalence of serum markers of coeliac disease in patients with chronic fatigue syndrome: *letter*, **335**

inducible nitric oxide synthase, The physiological expression of inducible nitric oxide synthase (iNOS) in the human colon, **293**

injury, Age related changes in the tunica media of the vertebral artery: implications for the assessment of vessels injured by trauma, **139**

innervation, Retain or sacrifice the posterior cruciate ligament in total knee arthroplasty? A histopathological study of the cruciate ligament in osteoarthritic and rheumatoid disease, **381**

inquest, When should a coroner's inquest be held? The Manchester guidelines for pathologists: *letter*, **495**

insulin resistance, Leptin: of mice and men?: *leader*, **1**

α interferon, Treatment of EBV driven lymphoproliferation with erythrophagocytosis: 12 year follow up, **328**

interferon α, Validation of the Hasford score in a demographic study in chronic granulocytic leukaemia, **491**

interferon γ, New insights into the role of cytokines in asthma, **577**

interleukin 10, Interleukin 10 in *Helicobacter pylori* associated gastritis: immunohistochemical localisation and in vitro effects on cytokine secretion, **285**
interleukins, New insights into the role of cytokines in asthma, **577**
internet access, The *Journal of Clinical Pathology* online (http://www.jclinpath.com): free for the developing countries: *editorial*, **497**
interobserver agreement, Observer accuracy in estimating proportions in images: implications for the semiquantitative assessment of staining reactions and a proposal for a new system, **385**
intestinal metaplasia, Comparison of precancerous conditions: atrophy and intestinal metaplasia in *Helicobacter pylori* gastritis among Chinese and Dutch patients, **367**
Gastric intestinal metaplasia: subtypes and natural history, **679**
intestinal type, CD34 positive stromal cells in gastric adenocarcinomas, **846**
intravenous immunoglobulin, IgA deficiency: what we should—or should not—be doing: *editorial*, **337**
intravenous leiomyomatosis, Uterine endometrial stromal sarcoma with smooth muscle and glandular differentiation, **481**
isoelectric focusing, α-1 Antitrypsin phenotypes by isoelectric focusing in a metropolitan southern Chinese population, **798**
isolation, Evaluation of different continuous cell lines in the isolation of mumps virus by the shell vial method from clinical samples, **924**

***Journal of Clinical Pathology* online,** The *Journal of Clinical Pathology* online (http://www.jclinpath.com): free for the developing countries: *editorial*, **497**
journals, Impactitis: new cures for an old disease: *editorial*, **817**

Ki-67, Improved objectivity of grading of $T_{A,1}$ transitional cell carcinomas of the urinary bladder by quantitative nuclear and proliferation related features, **854**
Prognostic comparative study of S-phase fraction and Ki-67 index in breast carcinoma, **543**
kidney, Mature renal teratoma and a synchronous malignant neuroepithelial tumour of the ipsilateral adrenal gland: *correspondence*, **253**
killer inhibitory receptors, Expression of killer cell inhibitory receptors is restricted to true NK cell lymphomas and a subset of intestinal enteropathy-type T cell lymphomas with a cytotoxic phenotype, **224**
knee prostheses, Retain or sacrifice the posterior cruciate ligament in total knee arthroplasty? A histopathological study of the cruciate ligament in osteoarthritic and rheumatoid disease, **381**

laboratory, The appropriateness of examining the entire cervix histologically in hysterectomy specimens from women with a previous history of cervical intraepithelial neoplasia or dyskaryosis, **155**
The use of the Reflection computer program for facilitating report formulation in the medical microbiology laboratory: *letter*, **159**
Workload, organisation, and cost of haematology laboratory out of hours services, **647**
laboratory diagnosis, The laboratory diagnosis of urinary tract infection: *review*, **911**
laboratory testing, Laboratory testing under managed care dominance in the USA: *leader*, **89**
β-lactamases False penicillin resistance in *Neisseria meningitidis* following direct susceptibility tests from blood cultures, **893**
laryngeal cancer, Downregulation of transforming growth factor β type II receptor in laryngeal carcinogenesis, **201**
Le Lamentin, Increasing recognition of haemoglobin Le Lamentin: *letter*, **970**
legionella pneumonia, Fatal legionella pneumonia after fludarabine treatment in chronic lymphocytic leukaemia: *letter*, **412**
leptin, Leptin: of mice and men?: *leader*, **1**
leptin receptor, Leptin: of mice and men?: *leader*, **1**
leptospirosis, An evaluation of three commercial kits for use as screening methods for the detection of leptospiral antibodies in the UK, **25**
leucocyte immunophenotyping, UK NEQAS for leucocyte immunophenotyping: the first 10 years: *leader*, **508**
leukaemia, Status of umbilical cord blood transplantation in the year 2001, **428**
Status of umbilical cord blood transplantation in the year 2001: *leader*, **428**
Topoisomerase IIα and IIβ expression in childhood acute lymphoblastic leukaemia: relation to prognostic factors and clinical outcome, **31**
UK NEQAS for leucocyte immunophenotyping: the first 10 years: *leader*, **508**
Vaccination to prevent varicella and shingles, **743**
λ light chain, Light chain amyloidosis of the urinary bladder. A site restricted deposition of an externally produced immunoglobulin, **920**
lipoma, Adrenal lipomatous tumours: a 30 year clinico-pathological experience at a single institution, **707**
liposarcoma, Adrenal lipomatous tumours: a 30 year clinico-pathological experience at a single institution, **707**
LLC-MK2 cell line, Evaluation of different continuous cell lines in the isolation of mumps virus by the shell vial method from clinical samples, **924**
lobular carcinoma in situ, Mixed apocrine/endocrine ductal carcinoma in situ of the breast coexistent with lobular carcinoma in situ, **70**
loss of heterozygosity, Evidence for loss of heterozygosity of 5q in sporadic haemangiomas: are somatic mutations involved in haemangioma formation?, **249**
Loss of heterozygosity at cylindromatosis gene locus, CYLD, in sporadic skin adnexal tumours, **689**
low dose aspirin, Salicylic acid in the serum of subjects not taking aspirin. Comparison of salicylic acid concentrations in the serum of vegetarians, non-vegetarians, and patients taking low dose aspirin, **553**
low grade tumour of the collecting ducts, Association of a renal papillary carcinoma with a low grade tumour of the collecting ducts, **637**
lower leg, Malignant mesenchymoma of the lower leg, **877**
lung, Apoptosis in squamous cell carcinoma of the lung: correlation with survival and clinicopathological features, **111**
lung cancer, Pulmonary preinvasive neoplasia: *leader*, **257**
Reduced expression of α-catenin, β-catenin, and γ-catenin is associated with high cell proliferative activity and poor differentiation in non-small cell lung cancer, **391**
lung tumours, Histological typing of lung and pleural tumours: third edition: *editorial*, **498**
lymph node, An audit of pathology lymph node dissection techniques in pylorus preserving Kausch–Whipple pancreatoduodenectomy specimens, **758**
lymph node infarction, Lymphadenopathy and lymph node infarction as a result of gold injections, **562**
lymphocytes, Peripheral blood lymphocyte appearance in a case of I cell disease, **724**
lymphoepithelioma-like carcinoma, Lymphoepithelioma-like carcinoma of the vagina, **964**
lymphoid malignancy, Ataxia telangiectasia gene mutations in leukaemia and lymphoma: *leader*, **512**
lymphoma, Expression of killer cell inhibitory receptors is restricted to true NK cell lymphomas and a subset of intestinal enteropathy-type T cell lymphomas with a cytotoxic phenotype, **224**
Immunohistochemical assessment of human herpesvirus 8 infection in primary central nervous system large B cell lymphomas, **617**
Post-transplant malignant lymphoma with monoclonal immunoglobulin gene rearrangement and polyclonal Epstein-Barr virus episomes, **887**
Primary peripheral T cell lymphoma of the endometrium, **74**

macrocryosection, Macrocryosectioning of the prostate: a simple technique, **236**
macroscopic images, Digital imaging of surgical specimens using a wet scanning technique, **326**
magnetic resonance imaging, Retroperitoneal extraskeletal osteosarcoma: *letter*, **77**
male breast, Expression of prolactin receptors in normal, benign, and malignant breast tissue: an immunohistological study, **956**
malignancy, Small cell melanoma: *letter*, **655**
malignant mesenchymoma, Malignant mesenchymoma of the lower leg, **877**
malignant mesothelioma, Malignant mesothelioma: a comparison of biopsy and postmortem material by light microscopy and immunohistochemistry, **766**
malignant peripheral nerve sheath tumour, Malignant peripheral nerve sheath tumour arising within neurofibroma. An immunohistochemical analysis in the comparison between benign and malignant components, **631**
managed care organisations, Laboratory testing under managed care dominance in the USA: *leader*, **89**
mantle cell lymphoma, Mantle cell lymphoma presenting as a breast mass, **883**
marginal zone lymphoma, Pulmonary marginal zone lymphoma of MALT type as a cause of localised pulmonary amyloidosis, **642**
MAST agar, Improved cultural detection of *Burkholderia cepacia* from sputum in patients with cystic fibrosis, **803**
mast cell, The prognostic relevance of angiogenesis and mast cells in squamous cell carcinoma of the oesophagus, **940**
Mcl-2, The expression of antiapoptotic proteins Bcl-2, Bcl-X_L, and Mcl-1 in benign, dysplastic, and malignant biliary epithelium, **927**
MDCK cell line, Evaluation of different continuous cell lines in the isolation of mumps virus by the shell vial method from clinical samples, **924**
mean corpuscular volume, Should we screen for globin gene mutations in blood samples with mean corpuscular volume (MCV) greater than 80 fL in areas with a high prevalence of thalassaemia?, **317**
medical records, What constitutes a histological confirmation of cancer? A survey of terminology interpretation in two English regions, **246**

melanocytic lesions, The usefulness of tyrosinase in the immunohistochemical assessment of melanocytic lesions: a comparison of the novel T311 antibody (anti-tyrosinase) with S-100, HMB45, and A103 (anti-melan-A), **196**
melanoma, Expression of cyclins and cyclin dependent kinases in human benign and malignant melanocytic lesions, **229**
melanoma resembling naevus, Small cell melanoma: *letter,* **655**
In reply: *letter,* **655**
meningitis, Introduction of an automated service for the laboratory confirmation of meningococcal disease in Scotland, **556**
meningococci, Introduction of an automated service for the laboratory confirmation of meningococcal disease in Scotland, **556**
Merkel cell carcinoma, Merkel cell carcinoma can be distinguished from metastatic small cell carcinoma using antibodies to cytokeratin 20 and thyroid transcription factor 1, **727**
mesocolon, Solid and papillary epithelial neoplasm arising in heterotopic pancreatic tissue of the mesocolon, **241**
metastatic small cell carcinoma, Merkel cell carcinoma can be distinguished from metastatic small cell carcinoma using antibodies to cytokeratin 20 and thyroid transcription factor 1, **727**
metronidazole, Role of screening agar plates for in vitro susceptibility testing of *Helicobacter pylori* in a routine laboratory setting, **408**
microbiology, The use of the Reflection computer program for facilitating report formulation in the medical microbiology laboratory: *letter,* **159**
microsatellite instability, Microsatellite instability in inflamed and neoplastic epithelium in ulcerative colitis, **526**
Microsatellite unstable colorectal cancer: *letter,* **573**
microsatellites, Genetic characterisation of invasive breast cancer: a comparison of CGH and PCR based multiplex microsatellite analysis, **836**
microvessel density, The prognostic relevance of angiogenesis and mast cells in squamous cell carcinoma of the oesophagus, **940**
minimum dataset, The use of a standard proforma in breast cancer reporting, **809**
mismatch repair, Immunohistochemistry for MSH2 and MHL1: a method for identifying mismatch repair deficient colorectal cancer, **484**
mitochondrial myopathy, Electron microscopy of myocardial tissue. A nine year review, **321**
MLH1, Immunohistochemistry for MSH2 and MHL1: a method for identifying mismatch repair deficient colorectal cancer, **484**
molecular epidemiology, No sequence variation in part of the hexon and the fibre genes of adenovirus 8 isolated from patients with conjunctivitis or epidemic keratoconjunctivitis (EKC) in Norway during 1989 to 1996, **558**
morphometry, Improved objectivity of grading of $T_{A,1}$ transitional cell carcinomas of the urinary bladder by quantitative nuclear and proliferation related features, **854**
Quantitative assessment of fibrosis and steatosis in liver biopsies from patients with chronic hepatitis C, **461**
MRC-5 cell line, Evaluation of different continuous cell lines in the isolation of mumps virus by the shell vial method from clinical samples, **924**
MSH2, Immunohistochemistry for MSH2 and MHL1: a method for identifying mismatch repair deficient colorectal cancer, **484**
MUC1 (epithelial membrane antigen) glycoforms, MUC1 (EMA) is preferentially expressed by ALK positive anaplastic large cell lymphoma, in the normally glycosylated or only partly hypoglycosylated form, **933**
MUC5AC, Immunohistochemical study of the expression of MUC5AC and MUC6 in breast carcinomas and adjacent breast tissues, **210**
MUC6, Immunohistochemical study of the expression of MUC5AC and MUC6 in breast carcinomas and adjacent breast tissues, **210**
mucin expression, Immunohistochemical study of the expression of MUC5AC and MUC6 in breast carcinomas and adjacent breast tissues, **210**
mucin positivity, The importance of intracytoplasmic DPAS positivity in fine needle aspirates of breast lesions, **146**
mucinous cystadenoma, Clear cell carcinoma of the ovary arising in a mucinous cystadenoma: *letter,* **655**
In reply: *letter,* **655**
multicentric Castleman's disease, Simultaneous occurrence of Epstein-Barr virus associated Hodgkin's disease and HHV-8 related multicentric Castleman's disease: a fortuitous event?, **790**
mumps virus, Evaluation of different continuous cell lines in the isolation of mumps virus by the shell vial method from clinical samples, **924**
muscle biopsies, Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **517**
muscular dystrophy, Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **517**
mutation, Ataxia telangiectasia gene mutations in leukaemia and lymphoma: *leader,* **512**
mycobacterial culture, Identifying sputum specimens of high priority for examination by enhanced mycobacterial detection, identification, and susceptibility systems (EMDISS) to promote the rapid diagnosis of infectious pulmonary tuberculosis, **613**
myelodysplasia, Dual colour FISH in paraffin wax embedded bone trephines for identification of numerical and structural chromosomal abnormalities in acute myeloid leukaemia and myelodysplasia, **730**
myelolipoma, Adrenal lipomatous tumours: a 30 year clinico-pathological experience at a single institution, **707**
myocardial tissue, Electron microscopy of myocardial tissue. A nine year review, **321**
myocarditis, Fatal acute myocarditis in an infant with human herpesvirus 6 infection, **792**
myofibroblastoma, Predominant fatty variant of myofibroblastoma of breast, **568**

naevoid melanoma, Small cell melanoma: *letter,* **655**
In reply: *letter,* **655**
naevus, Expression of cyclins and cyclin dependent kinases in human benign and malignant melanocytic lesions, **229**
nasal mucosa, Patterns of $p21^{waf1/cip1}$ expression in non-papillomatous nasal mucosa, endophytic sinonasal papillomas, and associated carcinomas, **871**
national independent control body, Scientific dishonesty: European reflections: *letter,* **573**
necropsy, Are coroners' necropsies necessary? A prospective study examining whether a "view and grant" system of death certification could be introduced into England and Wales, **279**
Interpreting bruises at necropsy: *leader,* **348**
Malignant mesothelioma: a comparison of biopsy and postmortem material by light microscopy and immunohistochemistry, **766**
Necropsy techniques in ophthalmic pathology: *leader,* **417**
The Alder Hey affair: implications for pathology practice: *editorial,* **820**
When should a coroner's inquest be held? The Manchester guidelines for pathologists: *letter,* **495**
needle core biopsy, Preoperative assessment of prognostic factors in breast cancer: *leader,* **20**
The role and histological classification of needle core biopsy in comparison with fine needle aspiration cytology in the preoperative assessment of impalpable breast lesions, **121**
Neisseria meningitidis, Introduction of an automated service for the laboratory confirmation of meningococcal disease in Scotland, **556**
False penicillin resistance in *Neisseria meningitidis* following direct susceptibility tests from blood cultures, **893**
nephroblastoma, Mature renal teratoma and a synchronous malignant neuroepithelial tumour of the ipsilateral adrenal gland: *correspondence,* **253**
nephrolithiasis, Bones, groans, moans . . . and salivary stones?: *letter,* **412**
nerve sheath differentiation, Evidence of nerve sheath differentiation and high grade morphology in sclerosing epithelioid fibrosarcoma, **721**
neural cell adhesion molecule, Immunohistochemical analysis of E-cadherin, α-catenin, β-catenin, γ-catenin, and neural cell adhesion molecule (NCAM) in chordoma, **945**
neuroblastoma, Mature renal teratoma and a synchronous malignant neuroepithelial tumour of the ipsilateral adrenal gland: *correspondence,* **253**
neuroblastoma: 1p and MYCN, Neuroblastoma tumour genetics: clinical and biological aspects: *review,* **897**
neuroblastoma genetics, Neuroblastoma tumour genetics: clinical and biological aspects: *review,* **897**
neuroendocrine carcinoma, Primary large cell neuroendocrine carcinoma of the presacral region, **880**
neurofibroma, Malignant peripheral nerve sheath tumour arising within neurofibroma. An immunohistochemical analysis in the comparison between benign and malignant components, **631**
neutropenia, Fatal disseminated fusarium infection in acute lymphoblastic leukaemia in complete remission, **488**
neutrophil chemotaxis, Neutrophil disorders and their management: *leader,* **7**
neutrophil disorders, Neutrophil disorders and their management: *leader,* **7**
next of kin clinics, When should a coroner's inquest be held? The Manchester guidelines for pathologists: *letter,* **495**
NHS Breast Screening Programme, The role and histological classification of needle core biopsy in comparison with fine needle aspiration cytology in the preoperative assessment of impalpable breast lesions, **121**
nitric oxide, Dimethylarginines in chronic renal failure, **470**
The physiological expression of inducible nitric oxide synthase (iNOS) in the human colon, **293**
non-bronchoscopic lavage, Diagnosis of Gram negative, ventilator associated pneumonia by assaying endotoxin in bronchial lavage fluid, **107**
non-familial colorectal carcinoma, Microsatellite unstable colorectal cancer: *letter,* **573**
non-Hodgkin's lymphoma, Pulmonary marginal zone lymphoma of MALT type as a cause of localised pulmonary amyloidosis, **642**
non-small cell lung cancer, Prognostic value of vascularity and vascular endothelial growth factor expression in non-small cell lung cancer, **116**

non-steroidal anti-inflammatory drugs, The histopathology of non-steroidal anti-inflammatory drug induced gastroduodenal damage: correlation with *Helicobacter pylori*, ulcers, and haemorrhagic events, **521**
nose, Eosinophilic angiocentric fibrosis and Wegener's granulomatosis: a case report and literature review, **640**
NPM/ALK, Anaplastic large cell lymphoma with the t(2;5)(p23;q35) NPM/ALK chromosomal translocation and duplication of the short arm of the non-translocated chromosome 2 involving the full length of the ALK gene, **152**
nuchal translucency thickness, Down's syndrome screening: a controversial test, with more controversy to come!: *letter*, **573**
nutrition, Transthyretin values correlate with mucosal recovery in patients with coeliac disease taking a gluten free diet, **783**

obesity, Leptin: of mice and men?: *leader*, **1**
oesophageal adenocarcinoma, A pathological study of tumour regression in oesophageal adenocarcinoma treated with preoperative chemoradiotherapy, **841**
oesophageal carcinoma, Multifocal squamous cell carcinoma of the oesophagus following radiotherapy for bilateral breast carcinoma, **718**
oesophagus, The prognostic relevance of angiogenesis and mast cells in squamous cell carcinoma of the oesophagus, **940**
oestrogen receptor, Comparison of core oestrogen receptor (ER) assay with excised tumour: intratumoral distribution of ER in breast carcinoma, **951**
oestrogen receptors, Expression of prolactin receptors in normal, benign, and malignant breast tissue: an immunohistological study, **956**
Immunohistochemical demonstration of oestrogen and progesterone receptors: *letter*, **78**
In reply: *letter*, **78**
ophthalamic pathology, Necropsy techniques in ophthalmic pathology: *leader*, **417**
organisation, Workload, organisation, and cost of haematology laboratory out of hours services, **647**
osteoclasts, Giant cell tumour of tendon sheath (localised nodular tenosynovitis): clinicopathological features of 71 cases, **404**
osteosarcoma, Retroperitoneal extraskeletal osteosarcoma: *letter*, **77**
out of hours, Workload, organisation, and cost of haematology laboratory out of hours services, **647**
overlap syndromes, Autoantibodies and overlap syndromes in autoimmune rheumatic disease, **340**
overwhelming postsplenectomy infection, Overwhelming infection in asplenic patients: current best practice preventive measures are not being followed, **214**
oxidative stress, Antioxidants in health and disease: *leader*, **176**
Measurement of total antioxidant capacity: *editorial*, **339**
oxyhaemoglobin, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *leader*, **827**

$p21^{waf1/cip1}$, Patterns of $p21^{waf1/cip1}$ expression in non-papillomatous nasal mucosa, endophytic sinonasal papillomas, and associated carcinomas, **871**
$p21^{waf}$, $p21^{waf}$ correlates with DNA replication but not with prognosis in invasive breast cancer, **866**
p53, An unusually aggressive case of endometriosis showing p53 expression, **396**
Genetic characterisation of invasive breast cancer: a comparison of CGH and PCR based multiplex microsatellite analysis, **836**
Immunohistochemical analysis of candidate gene product expression in the duodenal epithelium of children with coeliac sprue, **684**
Loss of DCC expression in astrocytomas: relation to p53 abnormalities, cell kinetics, and survival, **860**
Malignant peripheral nerve sheath tumour arising within neurofibroma. An immunohistochemical analysis in the comparison between benign and malignant components, **631**
Microsatellite instability in inflamed and neoplastic epithelium in ulcerative colitis, **526**
Multifocal squamous cell carcinoma of the oesophagus following radiotherapy for bilateral breast carcinoma, **718**
$p21^{waf}$ correlates with DNA replication but not with prognosis in invasive breast cancer, **866**
The clinicopathological features and importance of p53, Rb, and mdm2 expression in phaeochromocytomas and paragangliomas, **443**
p53 codon 72 polymorphism, p53 codon 72 polymorphism and human papillomavirus associated skin cancer, **539**
pancreas, An audit of pathology lymph node dissection techniques in pylorus preserving Kausch–Whipple pancreatoduodenectomy specimens, **758**
pancreatico–biliary neoplasia, Brush cytology in the assessment of pancreatico–biliary strictures: a review of 406 cases, **449**
pancreatico–biliary strictures, Brush cytology in the assessment of pancreatico–biliary strictures: a review of 406 cases, **449**
papillomavirus, Papillomavirus research update: highlights of the Barcelona HPV 2000 international papillomavirus conference: *leader*, **163**
Papillon-Lefèvre syndrome, A microbiological study of Papillon-Lefèvre syndrome in two patients, **371**
paraffin wax embedded bone trephines, Dual colour FISH in paraffin wax embedded bone trephines for identification of numerical and structural chromosomal abnormalities in acute myeloid leukaemia and myelodysplasia, **730**
paraffin wax sections, Paraffin wax embedded muscle is suitable for the diagnosis of muscular dystrophy, **517**
paraganglioma, The clinicopathological features and importance of p53, Rb, and mdm2 expression in phaeochromocytomas and paragangliomas, **443**
pathogenesis, Evidence of type II pneumocyte apoptosis in the pathogenesis of idiopathic pulmonary fibrosis (IFP)/usual interstitial pneumonia (UIP), **132**
pathology, Benchmarking and the laboratory: *leader*, **590**
Evidence based diagnostic microbiology: has its time come?, **441**
Sentinel node investigation in breast cancer: detailed analysis of the yield from step sectioning and immunohistochemistry, **550**
penicillin resistance, False penicillin resistance in *Neisseria meningitidis* following direct susceptibility tests from blood cultures, **893**
periodic acid Schiff positive, The importance of intracytoplasmic DPAS positivity in fine needle aspirates of breast lesions, **146**
periodontopathogens, A microbiological study of Papillon-Lefèvre syndrome in two patients, **371**
personal computer, Digital imaging of surgical specimens using a wet scanning technique, **326**
Peutz-Jeghers syndrome, Molecular genetic alterations in hamartomatous polyps and carcinomas of patients with Peutz-Jeghers syndrome, **126**
phaeochromocytoma, The clinicopathological features and importance of p53, Rb, and mdm2 expression in phaeochromocytomas and paragangliomas, **443**
phagocytosis, Neutrophil disorders and their management: *leader*, **7**
pharyngeal cancer, Nuclear β catenin expression is related to unfavourable outcome in oropharyngeal and hypopharyngeal squamous cell carcinoma, **42**
phenotypes, α-1 Antitrypsin phenotypes by isoelectric focusing in a metropolitan southern Chinese population, **798**
picro-sirius red, Age related changes in the tunica media of the vertebral artery: implications for the assessment of vessels injured by trauma, **139**
platelet aggregating factor, Heparin induced thrombocytopenia thrombosis (HIT/T) syndrome: diagnosis and treatment: *leader*, **272**
point counting, Rapid quantitative assessment of gastric corpus atrophy in tissue sections, **63**
polymerase chain reaction, Detection of herpesvirus DNA by the polymerase chain reaction (PCR) in vitreous samples from patients with necrotising retinitis, **103**
Evaluation of extraction methods from paraffin wax embedded tissues for PCR amplification of human and viral DNA, **401**
Fatal acute myocarditis in an infant with human herpesvirus 6 infection, **792**
Investigation of CMV disease in immunocompromised patients: *leader*, **84**
Rapid identification of candida species by TaqMan PCR, **362**
polymorphism, Association between TNF-α promoter polymorphism and *Helicobacter pylori* cagA subtype infection, **703**
population based, Erythroleukaemia in the north of England: a population based study, **608**
porphyria, Front line tests for the investigation of suspected porphyria: *leader*, **500**
pre-eclampsia, Apolipoprotein E alleles in women with pre-eclampsia, **652**
prenatal screening, Down's syndrome screening: a controversial test, with more controversy to come!: *letter*, **573**
preneoplasia, Pulmonary preinvasive neoplasia: *leader*, **257**
preoperative chemoradiotherapy, A pathological study of tumour regression in oesophageal adenocarcinoma treated with preoperative chemoradiotherapy, **841**
presacral region, Primary large cell neuroendocrine carcinoma of the presacral region, **880**
primary amyloidosis, Light chain amyloidosis of the urinary bladder. A site restricted deposition of an externally produced immunoglobulin, **920**
primary hyperparathyroidism, Bones, groans, moans . . . and salivary stones?: *letter*, **412**
primitive tumour, Primitive small round cell tumour of the adrenal gland presenting with fever of unknown origin and t(12;22)(q13;q12) cytogenetic finding, **966**
proforma, The use of a standard proforma in breast cancer reporting, **809**
progesterone receptor antibodies, Detection of progesterone receptor forms A and B by immunohistochemical analysis, **624**
progesterone receptor isoforms, Detection of progesterone receptor forms A and B by immunohistochemical analysis, **624**
progesterone receptors, Immunohistochemical demonstration of oestrogen and progesterone receptors: *letter*, **78**
In reply: *letter*, **78**
prognosis, A pathological study of tumour regression in oesophageal adenocarcinoma treated with preoperative chemoradiotherapy, **841**

Anaplastic large cell lymphoma: what's in a name?: *letter*, **494**
Apoptosis in squamous cell carcinoma of the lung: correlation with survival and clinicopathological features, **111**
Nuclear β catenin expression is related to unfavourable outcome in oropharyngeal and hypopharyngeal squamous cell carcinoma, **42**
$p21^{waf}$ correlates with DNA replication but not with prognosis in invasive breast cancer, **866**
Predictive value of topoisomerase IIα immunostaining in urothelial bladder carcinoma, **309**
Prognostic comparative study of S-phase fraction and Ki-67 index in breast carcinoma, **543**
Prognostic value of vascularity and vascular endothelial growth factor expression in non-small cell lung cancer, **116**
The prognostic relevance of angiogenesis and mast cells in squamous cell carcinoma of the oesophagus, **940**
Topoisomerase IIα and IIβ expression in childhood acute lymphoblastic leukaemia: relation to prognostic factors and clinical outcome, **31**
Validation of the Hasford score in a demographic study in chronic granulocytic leukaemia, **491**

prolactin receptors, Expression of prolactin receptors in normal, benign, and malignant breast tissue: an immunohistological study, **956**

proliferating cell nuclear antigen, $p21^{waf}$ correlates with DNA replication but not with prognosis in invasive breast cancer, **866**

proliferation, Improved objectivity of grading of $T_{a,1}$ transitional cell carcinomas of the urinary bladder by quantitative nuclear and proliferation related features, **854**
Reduced expression of α-catenin, β-catenin, and γ-catenin is associated with high cell proliferative activity and poor differentiation in non-small cell lung cancer, **391**

prostate, Macrocryosectioning of the prostate: a simple technique, **236**

Providencia rettgeri, A case of purple urine bag syndrome associated with *Providencia rettgeri*: *letter*, **412**

pulmonary embolism, D-Dimer testing: the role of the clinical laboratory in the diagnosis of pulmonary embolism: *leader*, **664**

purple urine bag syndrome, A case of purple urine bag syndrome associated with *Providencia rettgeri*: *letter*, **412**

pyelonephritis, Wegener's granulomatosis presenting as acute suppurative interstitial nephritis, **787**

pyrexia of unknown origin, Primitive small round cell tumour of the adrenal gland presenting with fever of unknown origin and t(12;22)(q13;q12) cytogenetic finding, **966**

quality, Impactitis: new cures for an old disease: *editorial*, **817**

quality assessment, Immunohistochemical demonstration of oestrogen and progesterone receptors: *letter*, **78**
In reply: *letter*, **78**

quality assurance, Conversion to core biopsy in preoperative diagnosis of breast lesions: is it justified by results?, **762**

quality control, How many histological levels should be examined from tissue blocks originating in cone biopsy and large loop excision of the transformation zone specimens of cervix?, **650**
The appropriateness of examining the entire cervix histologically in hysterectomy specimens from women with a previous history of cervical intraepithelial neoplasia or dyskaryosis, **155**

quantification, Random, chance, or hazard?: *correspondence*, **254**

quantitation, Investigation of CMV disease in immunocompromised patients: *leader*, **84**

radiotherapy, Multifocal squamous cell carcinoma of the oesophagus following radiotherapy for bilateral breast carcinoma, **718**

random, Random, chance, or hazard?: *correspondence*, **254**

refractory anaemia, Cytokeratin expression by CD34 positive blasts in a case of refractory anaemia with excess of blasts in transformation (RAEB-t): *letter*, **735**

relapsing polychondritis, Active aortitis in relapsing polychondritis, **890**

remission, Fatal disseminated fusarium infection in acute lymphoblastic leukaemia in complete remission, **488**

remote consultation, An experimental inter-expert telepathology network using static imaging, **752**

renal biopsy, Handling of renal biopsies: different approaches reflect a lack of evidence for what constitutes "best practice": *letter*, **413**
In reply: *letter*, **414**

renal cell carcinoma, Association of a renal papillary carcinoma with a low grade tumour of the collecting ducts, **637**

renal stones, Why oral calcium supplements may reduce renal stone disease: report of a clinical pilot study, **54**

renal tubular reabsorption of phosphate, Why oral calcium supplements may reduce renal stone disease: report of a clinical pilot study, **54**

research, Impactitis: new cures for an old disease: *editorial*, **817**
The Alder Hey affair: implications for pathology practice: *editorial*, **820**

retained organs, What's wrong with "retained organs"? Some personal reflections in the afterglow of "Alder Hey", **824**

retinitis, Detection of herpesvirus DNA by the polymerase chain reaction (PCR) in vitreous samples from patients with necrotising retinitis, **103**

retroperitoneum, A retroperitoneal bronchogenic cyst: a rare cause of a mass in the adrenal region, **801**
Retroperitoneal extraskeletal osteosarcoma: *letter*, **77**

rhabdoid phenotype, Rhabdoid phenotype in cutaneous squamous carcinoma: an earlier report!: *letter*, **656**

rheumatoid arthritis, Lymphadenopathy and lymph node infarction as a result of gold injections, **562**

Riedel's thyroiditis, Sarcoma of the thyroid region mimicking Riedel's thyroiditis, **570**

RNA extraction, High quality RNA isolation from tumours with low cellularity and high extracellular matrix component for cDNA microarrays: application to chondrosarcoma, **778**

salicylates, Salicylic acid in the serum of subjects not taking aspirin. Comparison of salicylic acid concentrations in the serum of vegetarians, non-vegetarians, and patients taking low dose aspirin, **553**

salicylic acid, Salicylic acid in the serum of subjects not taking aspirin. Comparison of salicylic acid concentrations in the serum of vegetarians, non-vegetarians, and patients taking low dose aspirin, **553**

saline, Formalin or not formalin; that is the question: *letter*, **734**

sarcomatoid carcinoma, Sarcoma of the thyroid region mimicking Riedel's thyroiditis, **570**

scanning, Digital imaging of surgical specimens using a wet scanning technique, **326**

scientific dishonesty, Scientific dishonesty: European reflections: *leader*, **4**
Scientific dishonesty: European reflections: *letter*, **573**

sclerosing epithelioid fibrosarcoma, Evidence of nerve sheath differentiation and high grade morphology in sclerosing epithelioid fibrosarcoma, **721**

scoring, Observer accuracy in estimating proportions in images: implications for the semiquantitative assessment of staining reactions and a proposal for a new system, **385**

screening, Papillomavirus research update: highlights of the Barcelona HPV 2000 international papillomavirus conference: *leader*, **163**
Should we screen for globin gene mutations in blood samples with mean corpuscular volume (MCV) greater than 80 fL in areas with a high prevalence of thalassaemia?, **317**

semiquantitative, Observer accuracy in estimating proportions in images: implications for the semiquantitative assessment of staining reactions and a proposal for a new system, **385**

sensitivity, Optimising testing for phospholipid antibodies, **693**

sentinel node, Sentinel node investigation in breast cancer: detailed analysis of the yield from step sectioning and immunohistochemistry, **550**

seroconversion, Long term recovery of IgG and IgM production during HIV infection in a patient with common variable immunodeficiency (CVID), **713**

severe combined immunodeficiency, Diagnosis of severe combined immunodeficiency: *leader*, **191**

shell vial, Evaluation of different continuous cell lines in the isolation of mumps virus by the shell vial method from clinical samples, **924**

sialolithiasis, Bones, groans, moans . . . and salivary stones?: *letter*, **412**

sinonasal papillomas, Patterns of $p21^{waf1/cip1}$ expression in non-papillomatous nasal mucosa, endophytic sinonasal papillomas, and associated carcinomas, **871**

skin adnexal tumours, Loss of heterozygosity at cylindromatosis gene locus, CYLD, in sporadic skin adnexal tumours, **689**

skin cancer, p53 codon 72 polymorphism and human papillomavirus associated skin cancer, **539**

smoking, Influence of smoking and alcohol on gastric chemokine mRNA expression in patients with *Helicobacter pylori* infection, **332**

Smooth muscle antibodies, Whither smooth muscle antibodies in the third millennium?, **677**

smooth muscle neoplasm, Uterine endometrial stromal sarcoma with smooth muscle and glandular differentiation, **481**

soft tissue neoplasm, Retroperitoneal extraskeletal osteosarcoma: *letter*, **77**

software, The use of the Reflection computer program for facilitating report formulation in the medical microbiology laboratory: *letter*, **159**

Sokal score, Validation of the Hasford score in a demographic study in chronic granulocytic leukaemia, **491**

solid papillary epithelial neoplasm, Solid and papillary epithelial neoplasm arising in heterotopic pancreatic tissue of the mesocolon, **241**

Southern blotting, The role of molecular analysis of immunoglobulin and T cell receptor gene rearrangements in the diagnosis of lymphoproliferative disorders, **565**

S-phase fraction, Prognostic comparative study of S-phase fraction and Ki-67 index in breast carcinoma, **543**

splenectomy, Overwhelming infection in asplenic patients: current best practice preventive measures are not being followed, **214**

sputum cytology, Successful demand management in histopathology: a model using sputum cytology: *letter*, **896**

squamous carcinoma of the skin, Rhabdoid phenotype in cutaneous squamous carcinoma: an earlier report!: *letter*, **656**

squamous cell carcinoma, Apoptosis in squamous cell carcinoma of the lung: correlation with survival and clinicopathological features, **111**
The prognostic relevance of angiogenesis and mast cells in squamous cell carcinoma of the oesophagus, **940**
squamous cell carcinomas, Patterns of $p21^{waf1/cip1}$ expression in non-papillomatous nasal mucosa, endophytic sinonasal papillomas, and associated carcinomas, **871**
standard operative procedures, Handling of renal biopsies: different approaches reflect a lack of evidence for what constitutes "best practice": *letter*, **413**
static image telepathology, An experimental inter-expert telepathology network using static imaging, **752**
κ statistics, Observer accuracy in estimating proportions in images: implications for the semiquantitative assessment of staining reactions and a proposal for a new system, **385**
Random, chance, or hazard?: *correspondence*, **254**
steatosis, Quantitative assessment of fibrosis and steatosis in liver biopsies from patients with chronic hepatitis C, **461**
stereology, Quantitative assessment of fibrosis and steatosis in liver biopsies from patients with chronic hepatitis C, **461**
STK11/LKB1, Molecular genetic alterations in hamartomatous polyps and carcinomas of patients with Peutz-Jeghers syndrome, **126**
stromal cell, CD34 positive stromal cells in gastric adenocarcinomas, **846**
subarachnoid haemorrhage, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *leader*, **827**
surgical pathology, Are clinicians failing to supply adequate information when requesting a histopathological investigation?, **806**
Successful demand management in histopathology: a model using sputum cytology: *letter*, **896**
What constitutes a histological confirmation of cancer? A survey of terminology interpretation in two English regions, **246**
surgical specimens, Digital imaging of surgical specimens using a wet scanning technique, **326**
survival strategies, Laboratory testing under managed care dominance in the USA: *leader*, **89**
survivin, HPV detection and measurement of HPV-16, telomerase, and survivin transcripts in colposcopy clinic patients, **304**
susceptibility testing, Role of screening agar plates for in vitro susceptibility testing of *Helicobacter pylori* in a routine laboratory setting, **408**
Sydney classification, Rapid quantitative assessment of gastric corpus atrophy in tissue sections, **63**
Sydney system, Application of quantitative techniques for the assessment of gastric atrophy: *editorial*, **161**
synovial biopsy, A 10 year retrospective comparison of the diagnostic usefulness of synovial fluid and synovial biopsy examination, **605**
synovial fluid, A 10 year retrospective comparison of the diagnostic usefulness of synovial fluid and synovial biopsy examination, **605**
systemic lupus erythematosus, Is it useful to test for antibodies to extractable nuclear antigens in the presence of a negative antinuclear antibody on Hep-2 cells?: *letter*, **413**
Whither smooth muscle antibodies in the third millennium?, **677**

T cell mediated immunity, Immunology of chronic mucocutaneous candidiasis: *editorial*, **81**
t(11;14), Mantle cell lymphoma presenting as a breast mass, **883**
T311 (anti-tyrosinase), The usefulness of tyrosinase in the immunohistochemical assessment of melanocytic lesions: a comparison of the novel T311 antibody (anti-tyrosinase) with S-100, HMB45, and A103 (anti-melan-A), **196**
Taqman, HPV detection and measurement of HPV-16, telomerase, and survivin transcripts in colposcopy clinic patients, **304**
TaqMan™, Rapid identification of candida species by TaqMan PCR, **362**
telepathology, An experimental inter-expert telepathology network using static imaging, **752**
telepathology network, An experimental inter-expert telepathology network using static imaging, **752**
telomerase, HPV detection and measurement of HPV-16, telomerase, and survivin transcripts in colposcopy clinic patients, **304**
teratoma, Mature renal teratoma and a synchronous malignant neuroepithelial tumour of the ipsilateral adrenal gland: *correspondence*, **253**
terminology, What constitutes a histological confirmation of cancer? A survey of terminology interpretation in two English regions, **246**
tetanus antitoxin, Time resolved fluorometric immunoassay, using europium labelled antihuman IgG, for the detection of human tetanus antitoxin in serum, **812**
thalassaemia, Should we screen for globin gene mutations in blood samples with mean corpuscular volume (MCV) greater than 80 fL in areas with a high prevalence of thalassaemia?, **317**
the Netherlands, Comparison of precancerous conditions: atrophy and intestinal metaplasia in *Helicobacter pylori* gastritis among Chinese and Dutch patients, **367**
thrombophilia testing, Thrombophilia testing: science or medicine?: *correspondence*, **254**
thrombosis, Heparin induced thrombocytopenia thrombosis (HIT/T) syndrome: diagnosis and treatment: *leader*, **272**
thyroglobulin, Thyroglobulin immunoreactivity in lymph node histiocytes: a potential diagnostic pitfall, **314**
thyroid, Thyroglobulin immunoreactivity in lymph node histiocytes: a potential diagnostic pitfall, **314**
thyroid transcription factor 1, Merkel cell carcinoma can be distinguished from metastatic small cell carcinoma using antibodies to cytokeratin 20 and thyroid transcription factor 1, **727**
time of death, Interpreting bruises at necropsy: *leader*, **348**
tissue fixation, Formalin or not formalin; that is the question: *letter*, **734**
topoisomerase, Topoisomerase IIα and IIβ expression in childhood acute lymphoblastic leukaemia: relation to prognostic factors and clinical outcome, **31**
total antioxidant capacity, Measurement of total antioxidant capacity: *editorial*, **339**
transcripts, HPV detection and measurement of HPV-16, telomerase, and survivin transcripts in colposcopy clinic patients, **304**
transforming growth factor β, Malignant peripheral nerve sheath tumour arising within neurofibroma. An immunohistochemical analysis in the comparison between benign and malignant components, **631**
transforming growth factor-β type II receptor, Downregulation of transforming growth factor β type II receptor in laryngeal carcinogenesis, **201**
transitional cell carcinoma, Improved objectivity of grading of $T_{A,1}$ transitional cell carcinomas of the urinary bladder by quantitative nuclear and proliferation related features, **854**
Predictive value of topoisomerase IIα immunostaining in urothelial bladder carcinoma, **309**
transplantation, Post-transplant malignant lymphoma with monoclonal immunoglobulin gene rearrangement and polyclonal Epstein-Barr virus episomes, **887**
transthyretin, Transthyretin values correlate with mucosal recovery in patients with coeliac disease taking a gluten free diet, **783**
treatment of asthma, New insights into the role of cytokines in asthma, **577**
trephine biopsy, Bone marrow trephine biopsy: *leader*, **737**
tuberculosis, Identifying sputum specimens of high priority for examination by enhanced mycobacterial detection, identification, and susceptibility systems (EMDISS) to promote the rapid diagnosis of infectious pulmonary tuberculosis, **613**
tumour antigens, Current problems in the development of specific immunotherapeutic approaches to cancer: *commentary*, **675**
Immune responses to tumour antigens: implications for antigen specific immunotherapy of cancer: *leader*, **669**
tumour genetics and prognosis, Neuroblastoma tumour genetics: clinical and biological aspects: *review*, **897**
tumour grade, Preoperative assessment of prognostic factors in breast cancer: *leader*, **20**
tumour necrosis factor α, Association between TNF-α promoter polymorphism and *Helicobacter pylori* cagA subtype infection, **703**
Helicobacter heilmannii gastritis: a histological and immunohistochemical trait, **774**
tumour regression, A pathological study of tumour regression in oesophageal adenocarcinoma treated with preoperative chemoradiotherapy, **841**
type II pneumocytes, Evidence of type II pneumocyte apoptosis in the pathogenesis of idiopathic pulmonary fibrosis (IIP)/usual interstitial pneumonia (UIP), **132**

ulcerative colitis, Microsatellite instability in inflamed and neoplastic epithelium in ulcerative colitis, **526**
The physiological expression of inducible nitric oxide synthase (iNOS) in the human colon, **293**
ultrasound, Down's syndrome screening: a controversial test, with more controversy to come!: *letter*, **573**
umbilical cord blood transplantation, Status of umbilical cord blood transplantation in the year 2001: *leader*, **428**
urinary bladder, Improved objectivity of grading of $T_{A,1}$ transitional cell carcinomas of the urinary bladder by quantitative nuclear and proliferation related features, **854**
Light chain amyloidosis of the urinary bladder. A site restricted deposition of an externally produced immunoglobulin, **920**
urinary tract infection, The laboratory diagnosis of urinary tract infection: *review*, **911**
uterus, Florid cystic endosalpingiosis of the uterus, **399**
Uterine endometrial stromal sarcoma with smooth muscle and glandular differentiation, **481**
uveitis, Detection of herpesvirus DNA by the polymerase chain reaction (PCR) in vitreous samples from patients with necrotising retinitis, **103**

vaccination, Vaccination to prevent varicella and shingles, **743**
vagina, Lymphoepithelioma-like carcinoma of the vagina, **964**
variant, Predominant fatty variant of myofibroblastoma of breast, **568**
varicella zoster, Vaccination to prevent varicella and shingles, **743**

varicella zoster virus, Pneumonitis in an elderly Bangladeshi man: *letter,* **494**
vascular endothelial growth factor, Prognostic value of vascularity and vascular endothelial growth factor expression in non-small cell lung cancer, **116**
vascularity, Prognostic value of vascularity and vascular endothelial growth factor expression in non-small cell lung cancer, **116**
vasculitis, Vasculitides associated with HIV infection: *leader,* **275**
venous thromboembolism, Thrombophilia testing: science or medicine?: *correspondence,* **254**
ventilator associated pneumonia, Diagnosis of Gram negative, ventilator associated pneumonia by assaying endotoxin in bronchial lavage fluid, **107**
Vero cell line, Evaluation of different continuous cell lines in the isolation of mumps virus by the shell vial method from clinical samples, **924**
vertebral artery, Age related changes in the tunica media of the vertebral artery: implications for the assessment of vessels injured by trauma, **139**
view and grant, Are coroners' necropsies necessary? A prospective study examining whether a "view and grant" system of death certification could be introduced into England and Wales, **279**
villous atrophy, Transthyretin values correlate with mucosal recovery in patients with coeliac disease taking a gluten free diet, **783**
viral load, Distribution and viral load of type specific HPVs in different cervical lesions as detected by PCR-ELISA, **377**
viral pneumonitis, Pneumonitis in an elderly Bangladeshi man: *letter,* **494**
vitalism, What's wrong with "retained organs"? Some personal reflections in the afterglow of "Alder Hey", **824**
vitreous humour, Uncertainty in estimating blood ethanol concentrations by analysis of vitreous humour, **699**

Wegener's granulomatosis, Eosinophilic angiocentric fibrosis and Wegener's granulomatosis: a case report and literature review, **640**
Wegener's granulomatosis presenting as acute suppurative interstitial nephritis, **787**
whole mount, Macrocryosectioning of the prostate: a simple technique, **236**
workload, Workload, organisation, and cost of haematology laboratory out of hours services, **647**
World Health Organisation, Histological typing of lung and pleural tumours: third edition: *editorial,* **498**

xanthochromia, CSF spectrophotometry in the diagnosis of subarachnoid haemorrhage: *leader,* **827**